


Equip Your Reusable Containers with the **Options and Accessories** Needed to Maximize Operating Efficiency and Work Properly in Your Application

- Security Straps
- Locks
- Hinged Lids
- Shelves
- Drains
- Interior Dividers
- Partitions
- Mold In Graphics
- Dollies
- Skid Base



3 Shelving Brackets and Supports

Use to divide containers and separate easily crushed items. Sturdy steel support rods (three per level) can be removed from permanent mounting brackets for nesting of empty containers. Shelving material is optional.

Call for Price per level



Hinged Lid Option

CALL FOR PRICE
continuous steel
or
CALL FOR PRICE
in soft nylon.



Removable Vertical Dividers


Quoted to your spacing and specification



Hasp Locks

This security option is designed for a controlled shipping environment. Heavy gauge galvanized steel hasp and staple are permanently mounted on cover and body of container. The hasp can be secured with either a padlock or seal, supplied by the customer.

Installed price per hasp – CALL FOR PRICE
Lid Hinge formed with 2 hasps – CALL FOR PRICE



Drains

$\frac{3}{8}$ " diameter threaded brass fitting is permanently molded into wall of container. Available on all models. Brass plug provided.

CALL FOR PRICE

Skid Base

Can be provided on most units using 4" x 4" plastic lumber. Call for pricing.

Dollies

Available for all model containers. Welded steel angle with four swivel casters corner mounted unless otherwise requested. Caster size is optional. – Call for prices. – Several designs.

***Mold In Graphics** See note below left on this page.

Accessories and Optional Equipment

for Reusable Plastic Containers



Permanent Security Strapping

Provide an extra measure of security for your valuable products in transit and increase your shipping room efficiency. Straps are constructed of tough nylon web material and securely fastened to container wall. Matching grommets on belts allow sealing or locking of the containers. Price is per strap.

Attached, ready for use – Call for Price

Add'l. cost for MTD, MTG, H, and V-H Models



Removable Panel

Designed to permit easy loading and unloading of the MTH series shipping container. The 16W x 13L section is framed with tongue and groove P.V.C. slides, that make removal in transit impossible.

CALL for Price

MOLD IN GRAPHICS

Your Company Name, Logo, Bar Codes, Consecutive Numbering or virtually any information can be permanently embedded into your containers or carts. The graphics are completely absorbed into the wall of the container, and are protected by a layer of plastic. They will survive abrasion, chemicals and all weather conditions and are available in any combination of colors. There are some size and minimum quantity limits. Call for additional information and a quote on your particular requirements.

NEW Heavy Duty Strapping Truck



- Built for years of daily service
- Heavy duty tubular frame with sturdy continuous handle.
- Large 10" semi-pneumatic wheels for easy transport over rough terrain.
- Accepts 3", 6", and 8" face coil having 8" or 16" diameter cores.
- Handles both poly and steel strapping.
- Automatic dispensing brake to reduce spillage.
- 39" high, weighs 54 lbs. • U.P.S. Shippable.
- Part #272285 - **Call for Price**

Also Available from Ted Thorsen...

Long Life/Deluxe Quality Strapping Tools for Poly or Steel Strapping




Our Best Sealers Our Best Tensioners Deluxe Cutters
See Prices Below

| | | |
|---------|-------------------------|--------|
| #272023 | 3/8" Steel Strap Sealer | [CALL] |
| #4958 | 1/2" Steel Strap Sealer | [CALL] |
| #272025 | 3/4" Steel Strap Sealer | [CALL] |



Standard Duty Strapping Truck
#272213
Price: [CALL]



1/2" Polypropylene Strapping

| Prod. Number | Size | Feet/Coil | Core I.D. | Tensile Strength | Case Wt. | Price/Roll |
|--------------|------|-----------|-----------|------------------|----------|------------|
| 4950 | 1/2" | 9000 | 16" | 300# | 23 | CALL CALL |
| 4951 | 1/2" | 9000 | 16" | 400# | 23 | CALL CALL |



Edge Protectors

| Prod. No. | Size Width | Case Count | Case Wt. | 1-4 | 5-9 |
|-----------|---------------|------------|----------|------|------|
| 4967 | 2" x 2" x 3" | 1000 | 40 | CALL | CALL |
| 4968 | 2" x 2" x 36" | 50 | 24 | CALL | CALL |

| Wire Buckles | Prod. No. | Size Width | Case Count | Case Wt. | 1-4 | 5-9 |
|--------------|-----------|------------|------------|----------|------|------|
| | 4955 | 1/2" | 1000 | 14 | CALL | CALL |

The MTH-4 Container with Options – Ideal for Taller Loads

- Removable front panel for hanging garments – flat goods – cut work transfer
- Formed from sturdy rotation molded H.D. Polyethylene





Loading and unloading are simplified with front panel removed. No bending or reaching needed.



Special molding holds the panel in place. One, two or three hanger bars can be accommodated. 1/2 panel included.



Put the stacking lid in place. Strap the unit or use our optional security hasps and you're ready to ship.



Molded-in feet simplify stacking and fork handling and make the best use of your available cubic space. Units nest easily when empty.

| Top O.D. Dimensions with Lid in Place | Overall Height | Useful Capacity | Model MTH-4-Opt. Heavy Duty 800 lb. Capacity | Model MTH-4 Garment Hanger Bars | Optional Hinged Hasp Locks per Pair, Mounted | Optional Permanent Security Straps | Add for Optional 4" Casters |
|---------------------------------------|----------------|-----------------|--|---------------------------------|--|------------------------------------|-----------------------------|
| 38" x 34" | 42" | 23 cu. ft. | CALL | CALL | CALL FOR PRICES | CALL | CALL FOR PRICES |

All shipments F.O.B. Florida – **Choice of 9 colors available** – Up to 3 hanger bars per unit can be mounted.


Removable 1/2 panel optional (Deduct Part of Cost if not needed) – **This unit also available on casters – and with hinged drop front.**

NOTE: This size also available as **MT-V without legs** (reduce height by 4")

Multi-Purpose Utility Trucks

Sturdy 5/8" Plywood Base with extra thick polyethylene body and thread guard casters

| MODEL | O/D | BU. | GAL. | WALL THICKNESS | WT. | Price 3" Cstrs. | Price 4" Cstrs. | Price 5" Cstrs. | Price LID | CAP. (LBS.) |
|--------------------------|--------------------|-----|------|----------------|-----|-----------------|-----------------|-----------------|-----------|-------------|
| MTF-1XH3 MED. DUTY | 38x26x29 | 8 | 60 | .218 | 56 | [CALL] | | | [CALL] | 3" 350 |
| MTF-2H3 HEAVY DUTY | | | | .250 | 60 | [CALL] | | | [CALL] | |
| MTE-1XH3 MED. DUTY | 41x28x30 | 12 | 110 | .218 | 52 | [CALL] | | | [CALL] | 3" 350 |
| MTE-2H3 HEAVY DUTY | | | | .250 | 60 | [CALL] | | | [CALL] | |
| MTB-1XH3 MED. DUTY | 43x29x33 | 14 | 120 | .218 | 68 | [CALL] | | | [CALL] | 3" 350 |
| MTB-2H3 HEAVY DUTY | | | | .250 | 76 | [CALL] | | | [CALL] | |
| MTM-2H3 | 55 x 25 x 29 1/4 | 14 | 100 | .218 | 65 | [CALL] | — | — | — | 3" 350 |
| MTM-3H3 | | | | .250 | 75 | [CALL] | — | — | — | |
| MTC-1XH4 MED. DUTY | 47x31x39 | 16 | 130 | .218 | 67 | — | [CALL] | — | [CALL] | 4" 450 |
| MTC-2H4 HEAVY DUTY | | | | .250 | 73 | — | [CALL] | — | [CALL] | |
| MTX-1H5 MED. DUTY | 53x36 1/2 x 35 1/4 | 20 | 150 | .218 | 85 | — | — | [CALL] | [CALL] | 5" 550 |
| MTX-1H5 HEAVY DUTY | | | | .250 | 103 | — | — | [CALL] | [CALL] | |
| SW5530-4H1 MED. DUTY | 55x24x35 1/4 | 13 | 115 | .218 | 68 | — | — | [CALL] | [CALL] | 4" 550 |
| SW5530-4H2 HEAVY DUTY | | | | .250 | 80 | — | — | [CALL] | [CALL] | |



Hamper MTX-1H4 with 5" thread guard

Standard Equipment

- Four (4) swivel casters, corner mounted 5/8" plywood base
- Choice of color
- Custom Stenciling

Optional Equipment

- Matching security lid (see above)
- Galvanized steel base: **call for prices**
- Heavy duty casters: **call for prices**
- Thread Guard casters: **call for prices**
- Optional caster arrangement:
 - a. Two swivel, two fixed corner mounted
 - b. Two swivel, two fixed diamond pattern

Available Colors: • White • Blue • Green • Yellow • Orange • Red • Brown • Gray • Black – All shipments FOB Florida.

Quantity Discounts Available – Call Ted Thorsen.

The Proven MTG-1X & MTD-1X Stacking Containers with Lids - A Perfect Fit

Two across and four high or two across and three high in your truck or offshore ocean container. Choice of 9 Colors – Options and Accessories Available Including Mold-In Graphics



MTG Overall size with Lid:
44½”L x 44½”W x 24”H
Inside Top: 41½”L x 41½”W
Inside Depth: 17”
Inside Bottom: 39¾” x 39¾”

Fits trailers 2 across and 4 high.



MTG and MTD have excellent nesting ratios when empty.
Capacity – 500 and 700 lbs./unit for MTG 1 & 2 and 800 lbs. and 1200 lbs. for MTD 1 & 2.
Choice of Colors.
Fully Fork Lifiable.



MTD Overall size with Lid:
44½”L x 44½”W x 29½”H
Inside Top: 41½”L x 41½”W
Inside Depth: 22½”
Inside Bottom: 39½” x 39½”

Fits trailers 2 across and 3 high.

#MTG1 Price Including Lid: [call for prices](#) • **Heavy Duty MTG2:** [call for prices](#)

F.O.B. Florida, including choice of colors and stencil with sequence number.

#MTD1 Price Including Lid: [call for prices](#) • **Heavy Duty MTD2:** [call for prices](#)

F.O.B. Florida, including choice of colors and stencil with sequence number.

Units available for test and evaluation.

Let Reusable Shipping Containers Go To Work For You.

The Payback is Quick – And the Justifications Are Easy! – Sample Units Available.



Our MTN containers load 4 across and 4 high in your container or trailer. MTE containers load 3 across and 3 high. MTR units are 3 across and 3 high in the new extra wide trailers.



Reusable containers save time because they never require set up. They nest and stack to save space.

Reorder paperwork and cardboard disposal costs are eliminated. Reusable containers are secure and safe, ideal for domestic or international shipments.



Truck versions make sense!


Available in two wall thicknesses. Ribbed wall trucks mounted on heavy duty casters have a capacity of 800 pounds or more, depending on casters selected. (See preceding page) All options shown on page #11 are available.


MTL containers hold work-in-process and are usable and convenient in the assembly area or in examining and packing. Always ready to use,  containers were designed for the inter-plant shipper. Whether you are shipping apparel, delicate electronics, wet or dry cargo,  reusable containers have a proven record of performance. They offer superior protection from pilferage and damages, lower handling costs and a quick return on your investment. You can be confident that they will absorb the kind of punishment that will destroy other types of shipping containers and perform efficiently under the most extreme shipping conditions.



Four New Plastic Pallet Boxes for Reusable Shipping & In-Plant

MTO Nesting Design – Stacks on Lid (Lid Included)



- Useful for long parts and special shapes
- Special dunnage, dividers and spacers are available. Call  to specify.

Specifications: MTO Series

Overall: 51.5 L x 22.5 W x 19 H • 7.0 cu. ft.
Inside I.D.: 49 L x 19 W x 15 D

MTO-1 Wall: .187 Capacity: 350 lbs. **MTO-2** Wall: .250 Capacity: 550 lbs.
Features: Nesting / Stack on Lid / Two Way Forklift
 Suitable for long narrow parts and products.

MTO-1 Medium Duty Wt: 30 lbs. Call for Prices (1-24 units)
MTO-2 Heavy Duty Wt: 40 lbs. Call for Prices (1-24 units)

Choice of 9 Colors Available.
 Quantity Discounts Available on Both Items:
 25 - 49 units: 5%
 50 - 99 units: 7%

SO-5038 Self Stacking Large Capacity Rotomolded Container


Specifications: SO-5038 Series Container

Overall: 49.5 L x 37.5 W x 21.5 H • 19 cu. ft.
Inside I.D.: 47.25 L x 35.25 W x 16.75 D

SO-5038-1 (Std.) Wall: .187 Capacity: 600 lbs.
SO-5038-2 (Hvy. Duty) Wall: .250 Capacity: 1200 lbs.

Features:
 Stack Only / No Lid / Non Nesting
 Choice of 9 Colors Available

SO-5038-1 Medium Duty Wt: 70 lbs. Call for Prices (1-24 units)
SO-5038-2 Heavy Duty Wt: 85 lbs. Call for Prices (1-24 units)



This unit is also available as a truck.
 27 1/2" tall

Model#: S05038IH4
Medium Duty Truck
 Call for Prices

Model#: S0-50382H4
Heavy Duty Truck
 Call for Prices



New Straight Sided Shipper with optional lid

Fits 3 across - 4 high in a wide trailer

SO-5524 Series Stack Only Reusable Shipping or Storage Containers



Fork Liftable - stack with or without lid

Shown with optional handles and 3 sets of straps.

Features:

- Stackable with or without lid
- Impact, moisture and chemical resistant
- FDA approved material for contact with food
- Choice of nine colors
- Custom stenciling and numbering

Options:

- Matching Security Lid
- Locking & Sealing Devices/Straps
- Handles and other popular accessories

| Model Number | Outside Dimensions | Inside Dimensions | Weight Capacity | Shipping Weight | Volume Capacity | 48' Trailer Capacity | Price Each |
|--------------|--------------------|-------------------|-----------------|-----------------|------------------|----------------------|------------|
| SO-5524-1 | 56Lx30Wx24H | 53Lx28Wx18D | 450 lbs. | 38 lbs. | 16.5 cu. ft. | 120 | [CALL] |
| Med. Duty | 1397x762x609mm | 1346x711x457mm | 204 kg. | 17 kg. | 48m ³ | 120 | |
| SO-5524-2 | 56Lx30Wx24H | 53Lx28Wx18D | 650 lbs. | 45 lbs. | 16.5 cu. ft. | 120 | [CALL] |
| Heavy Duty | 1397x762x609mm | 1346x711x457mm | 294 kg. | 20 kg. | 48m ³ | 120 | |
| 5524L | | | | 17 lbs. | | | [CALL] |
| Matching Lid | | | | 7.7 kg. | | | |

Security Straps Three Strap Sets Shown Above [CALL]


Each Set Heavy Duty Handles Price each strap [CALL]

Complete Medium Duty Unit including container, lid, 3 strap sets, handles – [CALL] • Complete Heavy Duty Unit with same – [CALL]

New Rotomolded Plastic Stack Only Container

Model MTU-1

Shown here with optional holes



Optional Totes

FEATURES:

- Positive stacking
- Four way forklift entry
- Intersecting divider tracks allow container to be divided into two or four compartments

OPTIONS:

- Dividers - create 4 compartments
- MTU-3 stack only tote - Four fit inside exactly
- Hand and ventilating holes

PRICES:

- Basic MTU-1: [CALL]
- Set of 2 dividers: [CALL]
- Set of 4 removable internal totes: [CALL]
- Add 24 holes and handles: [CALL]

Model: MTU-1

Outside Dimensions: L47.5 x W47.5 x H14 in.

Inside Dimensions Top: L47 x W47 x D10 in.

Volume Capacity: 12.5 cu. ft.

Shipping Weight: 37 lbs.

Weight Capacity: 400 lbs.

NEW SOS™ Storage Bins and Industrial Bulk Boxes

Water Tight – Useful for Every Indoor and Outdoor Purpose Including Bulk Products & Tools

SOS™ Storage Bins

Safety or Security
Farm or Factory
Truck or Trailer
Ship or Store
Salt or Sand
Dock or Dugout
Maintenance Stand or
Parking Lot
Garage or Construction

Features:
Rotomolded of
Low Density Polyethylene
Impact resistant
Double wall,
lockable lid (lock
not included)
Nestable
Water Tight
Four Convenient Sizes

| Model Number | Cubic Feet | Load Capacity | Outside Dimensions | Shipping Weight | Price Each |
|--------------|------------|---------------|--------------------|-----------------|------------|
| SOS 5.5 | 5.5 | 500 lbs. | 34" x 24" x 24" | 35 lbs. | [CALL] |
| SOS 11 | 11 | 1000 lbs. | 42" x 29" x 30" | 50 lbs. | [CALL] |
| SOS 18 | 18.5 | 1750 lbs. | 48" x 33" x 34" | 65 lbs. | [CALL] |
| SOS 36 | 36 | 3500 lbs. | 72" x 36" x 36" | 88 lbs. | [CALL] |

NEW!
Four
Sizes

DISCOUNTS:

1-5 Units:
List

6-11 Units:
5%

12+ Units:
7%

**RECYCLED
MATERIAL
AVAILABLE
at discounted
prices...
12 unit
minimum
required for
recycled
material
(when
available)**



Nesting Fork Lift Bins

Our Top of the Line Containers Matching Typical Pallet Sizes

**Excellent for
Industrial,
Commercial
Storage and
Transfer**

**Optional Rotator
Bars for turn
dumping...
Call TT for pric-
ing by appication.**



Features:

- 4-way entry
- Rotator bars optional
- Barrel type corner stops prevent jamming when nesting empty
- Stackable with Covers
- Cover Included

| Model Number | Dimensions (L x W x H) | Cubic Feet | Load Capacity |
|--------------|------------------------|------------|---------------|
| 4800 | 48" x 42" x 30" | 24 | 1200 |
| 4900 | 44" x 44" x 46" | 38 | 2000 |

| Shipping Weight | Price Each | Regrind (12 unit min.) (when available) |
|-----------------|------------|---|
| 75/30 lbs. | [CALL] | [CALL] |
| 90/30 lbs. | [CALL] | [CALL] |

PERMA-PAL 100

Extremely durable and virtually indestructible



The Perma-Pal is a combination pallet and container molded from hi-density polyethylene that won't crack, splinter, or stain, is easier to handle and will outlast scores (maybe hundreds!) of old-fashioned containers it replaces.

Although they are only 1/3 the weight of wood, they will safely hold up to 2000 lbs., have 4-way lift or pallet jack entry, and are sized to move easily between the aisles in your plant. The consistent weight (the 100 model is 30 lbs.) simplifies parts counting.

They even stack neatly and easily, so they save space when not in use and eliminate the need to store unusable wood pallets while you wait to spend money trying to have them hauled away for disposal.

The standard Perm-Pal 100 model comes in black or gray in size 32" x 32" x 12" and is immediately available from stock in any quantity. Other sizes, colors and quantities require special pricing.

- 4-way fork-lift or pallet jack entry
- Recyclable high-density polyethylene
- Washable and cleanable
- Stackable & rackable from any direction
- Reusable in-house or in a closed loop system
- Weights 30 lbs. (1/3 of conventional wood)
- Consistent weight means easy parts counting.
- 2000 lb. load capacity
- Standard black or gray available in any quantity
- Custom colors in 100+ quantity
- Covers available. Call for pricing.

PRICING:

**CALL FOR BEST PRICING
INCLUDING QUANTITY PRICING**

NEW Collapsible Reusable 3 Piece Pallet Boxes with Lids


- All Corrugated Construction
- Modest Quantity Requirements
- Stackable
- Now Available in Your Exact Size
- Custom Product Protection at a Low Cost





Set up 3 piece all corrugated design includes:

- Triple wall one piece corrugated sleeve with "Z" fold capacity
- Base with sturdy 2 way or 4 way corrugated legs
- Stacking lid, which also tops collapsed unit, encloses all components for secure return or storage
- Sleeves can be fitted with drop panels and doors as needed. Dividers inside are also available.

Pallet box capacity and size can be varied to match your exact requirements.

- Typical loads are up to 1000 - 1200 lbs./unit stacked two high
- Shown here is our size 60" long x 44" wide x 36" tall inside unit.
- **For 75 units – CALL FOR PRICING**
- **For 125 units – CALL FOR PRICING**
- Also available size 65" long x 44" wide x 36" tall inside.
- **For 50 units – CALL FOR PRICING**
- **For 100 units – CALL FOR PRICING**
- Please call  Ted Thorsen for prompt quotes to your exact specification and quantity.

Collapsed units are stackable 5-7 units high as shown above.


- Practical applications include fabric processing, bulk textile and soft goods manufacturing.
- Also, storage and interplant transfer of a multitude of bulky mid weight retail, wholesale, and factory direct items requiring relocation or warehousing.
- Call  Ted Thorsen to discuss your requirements.
- Now available new design which suspends the roll in the box from a fibre tube or other style center core. Call  Ted Thorsen for details.

High Strength Gusseted Plastic Bag Liners and Covers

For Wire Baskets, Big Paks, Plastic Pallet Boxes and Reusable Containers to Fit All Types Including Corrugated and Gaylord Type Pallet Boxes

- We Ship Most Sizes Promptly from Stock on Rolls
- Our Strongest 2 Mil and 4 Mil Thickness Shown Below

Nominal 3 Mil (.003)



| Prod. No. | Size W x D x L | Case Count | Case Wt. | Price Per Case | | |
|-----------|----------------|------------|----------|----------------|--------|--------|
| | | | | 1-4 | 5-9 | 10-24 |
| 1770 | 24 x 20 x 48 | 100 | 39 | [Call] | [Call] | [Call] |
| 1775 | 24 x 24 x 48 | 50 | 21 | [Call] | [Call] | [Call] |
| 1774 | 30 x 18 x 48 | 50 | 21 | [Call] | [Call] | [Call] |
| 1776 | 26 x 24 x 48 | 50 | 22 | [Call] | [Call] | [Call] |
| 1777 | 26 x 24 x 60 | 50 | 27 | [Call] | [Call] | [Call] |
| 1780 | 28 x 24 x 60 | 50 | 29 | [Call] | [Call] | [Call] |
| 1785 | 30 x 26 x 60 | 50 | 31 | [Call] | [Call] | [Call] |

Nominal 4 Mil (.004)


Bags are Shipped on Perforated rolls.



| | | | | | | |
|-------|---------------|----|----|--------|--------|--------|
| 10600 | 32 x 28 x 48 | 80 | 57 | [Call] | [Call] | [Call] |
| 10605 | 32 x 28 x 60 | 65 | 58 | [Call] | [Call] | [Call] |
| 10610 | 32 x 28 x 72 | 55 | 59 | [Call] | [Call] | [Call] |
| 10615 | 32 x 28 x 84 | 45 | 56 | [Call] | [Call] | [Call] |
| 10620 | 32 x 28 x 96 | 40 | 57 | [Call] | [Call] | [Call] |
| 10630 | 40 x 22 x 72 | 55 | 61 | [Call] | [Call] | [Call] |
| 10640 | 40 x 22 x 108 | 35 | 58 | [Call] | [Call] | [Call] |
| 10645 | 36 x 28 x 60 | 65 | 62 | [Call] | [Call] | [Call] |
| 10655 | 36 x 28 x 96 | 40 | 61 | [Call] | [Call] | [Call] |
| 10670 | 36 x 32 x 48 | 80 | 65 | [Call] | [Call] | [Call] |
| 10675 | 36 x 32 x 60 | 65 | 66 | [Call] | [Call] | [Call] |
| 10690 | 36 x 36 x 48 | 60 | 51 | [Call] | [Call] | [Call] |
| 10695 | 36 x 36 x 60 | 50 | 52 | [Call] | [Call] | [Call] |

Nominal 4 Mil (.004)

Measuring Hints for Covers and Liners



Example:
W - Width - 48
D - Depth - 40
L - Length - 36

For A Cover: Add approximately 4" to either width (W) or depth (D) for a loose fit. For length (L) add one half of depth (D) to actual length. Choose closest size.
W - 48 + 4 = 52
D - 40 = 40
L - 36 + 20 = 56
Closest Size to Order
53 x 42 x 78

For An Inner Liner: Use same procedure as above for width and depth. For length, add all of depth (D) to actual length plus a few inches for overlapping the ends of liner.
W - 48 + 4 = 52
D - 40 = 40
L - 36 + 40 + 4 = 80
Closest Size to Order

| Prod. No. | Size W x D x L | Case Count | Case Wt. | Price Per Case | | |
|-----------|----------------|------------|----------|----------------|--------|--------|
| | | | | 1-4 | 5-9 | 10-24 |
| 10700 | 36 x 36 x 72 | 40 | 51 | [Call] | [Call] | [Call] |
| 10705 | 36 x 36 x 108 | 25 | 50 | [Call] | [Call] | [Call] |
| 10710 | 42 x 32 x 54 | 55 | 54 | [Call] | [Call] | [Call] |
| 10715 | 42 x 32 x 60 | 50 | 55 | [Call] | [Call] | [Call] |
| 10720 | 42 x 32 x 72 | 40 | 52 | [Call] | [Call] | [Call] |
| 10725 | 42 x 32 x 84 | 35 | 54 | [Call] | [Call] | [Call] |
| 10735 | 48 x 30 x 60 | 50 | 58 | [Call] | [Call] | [Call] |
| 10745 | 48 x 30 x 84 | 35 | 57 | [Call] | [Call] | [Call] |
| 10755 | 48 x 30 x 108 | 25 | 52 | [Call] | [Call] | [Call] |
| 10790 | 44 x 33 x 80 | 35 | 55 | [Call] | [Call] | [Call] |
| 10760 | 44 x 36 x 88 | 35 | 61 | [Call] | [Call] | [Call] |
| 10770 | 44 x 36 x 108 | 25 | 53 | [Call] | [Call] | [Call] |
| 10775 | 48 x 36 x 72 | 40 | 60 | [Call] | [Call] | [Call] |
| 10785 | 48 x 36 x 120 | 25 | 63 | [Call] | [Call] | [Call] |
| 10795 | 46 x 44 x 80 | 35 | 63 | [Call] | [Call] | [Call] |
| 10800 | 46 x 44 x 100 | 30 | 67 | [Call] | [Call] | [Call] |
| 10810 | 48 x 46 x 72 | 35 | 59 | [Call] | [Call] | [Call] |
| 10815 | 48 x 46 x 96 | 25 | 56 | [Call] | [Call] | [Call] |
| 10825 | 53 x 42 x 78 | 35 | 65 | [Call] | [Call] | [Call] |
| 10830 | 54 x 44 x 72 | 30 | 52 | [Call] | [Call] | [Call] |
| 10835 | 54 x 44 x 96 | 25 | 58 | [Call] | [Call] | [Call] |
| 10840 | 54 x 44 x 120 | 20 | 58 | [Call] | [Call] | [Call] |
| 10845 | 54 x 44 x 132 | 20 | 64 | [Call] | [Call] | [Call] |
| 10850 | 52 x 48 x 96 | 25 | 60 | [Call] | [Call] | [Call] |
| 10860 | 52 x 48 x 120 | 20 | 60 | [Call] | [Call] | [Call] |
| 10865 | 58 x 46 x 96 | 25 | 61 | [Call] | [Call] | [Call] |
| 10875 | 58 x 46 x 125 | 20 | 65 | [Call] | [Call] | [Call] |

Call  for special pricing over 24 cases.

Repair Plastic Containers and Totes • Extend Service Life

Close Most Cracks and Small Holes Easily with Plastic Welding (Instructions Included)

- Use the 30-10 Laramy High Speed Thermoplastic Welding Torch Kit with Combination Tip. • Do Repairs Today!
- Lengthen the Life of Your Reusable Containers. • A Little Practice Makes You a Plastic Welder.



Perfect for General Repair and Maintenance

This is the basic Model 30-10 Torch equipped with 12' of vinyl hose, Laramy combination tip and 450 watt element. Model 30-10 is shipped in a metal case with a torch rest, a gauge and a regulator. A copy of Laramy's exclusive 64-page manual "Making Better Plastic Welds" is included with each torch. Additional elements and accessories can be added at any time.

Model 30-10 is a rugged, high-quality production tool. It is the most versatile and advanced thermoplastic welding torch on the market today. Lightweight and compact design make Model 30-10 easy on the operator and convenient for tight work areas. Length: 10", Weight: 15 ounces, 110/220 volt 60-cycle AC.

#30-10 Basic Kit... Call for Price

#30-102A High Speed Kit... Call for Price

(Includes two elements)

#30-200 High Speed Portable Compressor Outfit

(with Tip and two elements) 110V 60 Cy... Call for Price

#30-200/2... Call for Price

(Same as above, except 220V 50 Cy.)

NOTE: Plastic welding rod is extra as shown at right.
Laramy's Book on Plastic Welding is included with every kit.
Book Only: Call for Price



We recommend the optional Universal High Speed Tip for greater speed and efficiency



NHS-2 – 3/16" diameter welding rod

A one-hand welding tip that is 6 to 8

times faster than conventional tips. Cuts off rod as desired. Exclusive Laramy design preplasticizes work and rod simultaneously. These tips, because of the space they save, should be used for any extensive work on maintenance and fabrications projects. Model NHS-2 should be used with 450 watt element.

High Speed Tip... Call for Price

For 3/16" rod

Welding Rod... Call for Price

3/16" polyethylene in 4 ft. lengths (Other lengths and diameters available. Call ☐.)

NOTE: Parts available for all Laramy units.

Polyethylene Cases and Covered Bins

Available With and Without Casters

Heavy-Duty seamless polyethylene. Able to handle heavy weight and abuse! Additional hardware available. Call for details. O.D. height includes casters and lids.

Model # SJ-1 with lid

Capacity: 140 gallons.

The SJ-1 offers an extremely strong lid to compliment the large capacity bin. The lid is domed, to allow total coverage of contents even when overfilled. Bin height without lid in place is 24.5 inches. FDA-approved material allows it to be used with food. Available in many colors. Options include drop handles, latches, hinged lid, stenciling and drains. Call ☐ for additional information.

Standard color is grey. Green, blue, yellow and red are also available.



SJ-1 with lid

| O.D. | I.D. |
|--------------|----------------|
| L x W x H | L x W x H |
| 48 x 32 x 30 | 46 x 30 x 23.5 |

Call for Price



SJ-1-C with casters and lid

| O.D. | I.D. |
|----------------|----------------|
| L x W x H | L x W x H |
| 48 x 32 x 35.5 | 46 x 30 x 23.5 |

Model # HC-2 with lid

Capacity: 75 gallons.



HC-2 with lid

| O.D. | I.D. |
|------------------|------------------|
| L x W x H | L x W x H |
| 41 x 21.5 x 21.5 | 40.5 x 20.5 x 21 |

Call for Price



HC-2-C with casters and lid


| O.D. | I.D. |
|----------------|------------------|
| L x W x H | L x W x H |
| 41 x 21.5 x 27 | 40.5 x 20.5 x 21 |

Call for Price

Model # HC-1 with lid

Capacity: 104 gallons.

The "HC" series of bulk containers offers straight-sided walls with telescoping lids. Easily cleaned using water or steam, but not affected by most chemicals. Available in any color.



HC-1 with lid

| O.D. | I.D. |
|--------------|--------------------|
| L x W x H | L x W x H |
| 30 x 28 x 30 | 29.5 x 27.5 x 29.5 |

Call for Price

HC-1-C with casters and lid

| O.D. | I.D. |
|----------------|--------------------|
| L x W x H | L x W x H |
| 30 x 28 x 35.5 | 29.5 x 27.5 x 29.5 |

Call for Price



Palletub Reusable Shipping Containers

Stack-Nest Design with Lids – Now in 6 Colors

Ideal for Textiles and Bulk Products – Dolly for #51-0807

Some models feature unique double wall or super-strong double lip

AVAILABLE SIZES — STANDARD COLOR: BLUE

| Part # | Cubic Ft. | Top (OD) | | Bot. (ID) | | Ht. (OD) | Fork Entry | Double Wall | Single Wall | Prices | |
|-------------|--|----------|----|-----------|----|----------|------------|-------------|----------------|--------|--------|
| | | L | W | L | W | | | | | Box | Lid |
| 51-2016 | 18 | 64 | 46 | 58 | 40 | 17 | 4 Way | | | [CALL] | — |
| 51-2026 | 10 | 37 | 25 | 31 | 20 | 28 | 4 Way | | | [CALL] | [CALL] |
| 51-2030 | 24 | 52 | 42 | 43 | 33 | 30 | 2 Way | | | [CALL] | [CALL] |
| 51-2035 | 28 | 48 | 42 | 41 | 35 | 35 | 4 Way | | | [CALL] | [CALL] |
| 51-2036 | 28 | 46.5 | 44 | 40 | 38 | 30 | 4 way | | | [CALL] | [CALL] |
| 51-0807 | 16 | 41 | 28 | 37 | 24 | 30 | 4 Way | Double Lip | * | [CALL] | [CALL] |
| 51-080716UD | Dolly Shown Below - Fits This Model Only | | | | | | | | CALL FOR PRICE | | |
| 51-2037 | 30 | 45 | 45 | 38 | 38 | 37 | 2 Way | | | [CALL] | [CALL] |
| 51-2040 | 32.5 | 48 | 44 | 37 | 33 | 39.5 | 4 Way | | | [CALL] | [CALL] |

Chemically resistant and durable, smooth one piece rotationally molded construction provides a strong, long lasting, container and very smooth surface.


Stacking recesses in lids allow for secure over the road and in house transport. Strapping locations available on some models.

#510807 is illustrated here

Footprint recesses for positive stacking

Overlapped Lid to Keep Moisture Out


Strapping Notches



Nestability saves space when empty.

Exclusive Double-Wall Reinforced Lip

Integrally Mounted Handle - No External Hardware to Break or Rust



Generous Radius Corners Resist Impact

Anti-Wedge Nesting

Wide Pockets for Easy Fork Lift or Pallet Jack Access

Optional Dolly Base with Easy Rolling All Swivel 4" Casters for Maximym Maneuverability

Five Single Wall and two Double Wall units available

Four Way Entry

Fork truck pockets allow for easy handling.

NOTE:

• Some models are smooth sided, but include all features listed above

• Lids and tubs must be purchased together to receive pricing shown

• 5 optional colors available. Blue is stan-


Brand NEW!

Large 44"W x 54"L x 32"H Pallet Box

#01200BK


Structural Foam with Optional Internal Divider Sets

Ready for Factory Use



Note: This unit does not fold, and does not include a gate.

25 Unit minimum order.



Large Capacity. Stackable. Versatile & Tough!

Part Number: 0120-000-BK

Price each: 25 to 99 pcs. - CALL FOR PRICE

Weight: 165 lbs. without dividers

Measures: O.D. 44" x 54" x 32", I.D. 41" x 51" x 26 1/2"

Heavy Duty Capacity

Impact resistant material resists most handling abuse. Can be forklifted, pallet-trucked or conveyed. No broken welds, loose wires or sharp corners. Reinforced side walls with 1" tubular steel or aluminum. Cleanable by steam or spray, resistant to most chemicals. Inside or outside storage, weather resistant. Ease of identification with molded-in card holder. Material, polyethylene Structural Foam Plastic.

Optional Dividers Available.

| | Divider Layout | Price/Set |
|---------------------------------|----------------|-----------|
| 20 Divider Pack, 0129-945 Black | 4 x 5 | [CALL] |
| 24 Divider Pack, 0120-940 Black | 4 x 6 | [CALL] |
| 48 Divider Pack, 0120-968 Black | 6 x 8 | [CALL] |

SINGLE WALL STACKING

• Stackable with or without lid in place.

• Special lip adds stacking strength

• Available in budget raw material (reduced capacity) regrind option, Black only.



Standard Color: Natural



Single Wall Cylindrical



Standard Color: Natural

SINGLE WALL-DUMP:

- Side walls are parallel to lip thus preventing breakage.
- Strengthening ribs throughout. • Two way forklift entry.
- Special Base plates for Rotator Dumping.

Minimum order 15 pcs.


| Code No. | Dimensions At Top Inside | Capacity Cu. Ft. | Natural Box \$ | Natural Cover \$ | Reprocessed Black Box* \$ | Reprocessed Black Cover* \$ |
|---------------------------|--------------------------|------------------|----------------|------------------|---------------------------|-----------------------------|
| 919-2 (Square) | 36 x 36 x 18 | 11 | [CALL] | [CALL] | [CALL] | [CALL] |
| 880-2 (Square) | 36 x 36 x 32 | 21 | [CALL] | [CALL] | [CALL] | [CALL] |
| 949-2 (Square) | 44 x 44 x 44 | 44 | [CALL] | [CALL] | [CALL] | [CALL] |
| 887-2 (Round) | 47 dia. x 47 h. | 45 | [CALL] | — | — | — |
| Single Wall - Dump | | | | | | |
| 1491-2 | 43 x 43 x 22 | 17 | [CALL] | — | — | — |

Reusable Insulated Shippers –

Ideal for Temperature Sensitive Merchandise

DOUBLE WALL

- Replaceable leg assembly
- 2" thick polyurethane insulation sandwich in walls
- 4 way fork entry - 2 way pallet jack access
- 4 corner lugs for sling lifting or lid security.



INSULATED BOXES WITH LIDS

Insulated Transport Box


Sizes Shown Below are Readily Available.

Lids are shipped unless otherwise specified.

| Code No. | Dimensions Ins. | Capacity Lbs./Cu. Ft. | Price \$ |
|-------------------------|------------------|-----------------------|----------|
| Box and Lid 1801 1801-C | 42 x 24 x 28 | 500-lb. 9 C.F. | [CALL] |
| Box and Lid 1745 1945-C | 48 x 43 x 28 3/4 | 1000-lb. 18 C.F. | [CALL] |
| Box and Lid 1545 1945-C | 48 x 43 x 38 3/4 | 1500-lb. 24 C.F. | [CALL] |
| Box and Lid 1645 1645-C | 48 x 43 x 50 | 2000 35 C.F. | [CALL] |


Ted Thorsen Now Offers the Extra Tough Xytec®

Bulk Container • Outstanding and Unique Features • Better Design • Deluxe Choices




Access-Door Options

Access-door options come in a variety of configurations (see specification charts for details). Simply unlatch the autolock clips located on the longer sidewalls and the access door swings down. It's that easy now to see and reach the contents of the container.




Bulk-Door Option

To provide easy access to contents located on the floor of the container, the XYTEC® offers the unique optional feature of a bulk door that opens at the bottom. As an added benefit, the bulk door has a clip that safely props the door open.



Interlocking Corners

Xytec's patented interlock design strengthens corners for durability under rough handling.




Convenient Handhold

A hand-grip is molded into each 48-inch side, making it easy to grasp a sidewall and quickly erect a collapsed container.



Positive Stacking Interlock

The containers are designed with the capability to stack one on top of another, safely and securely. Used with access doors, a wall of XYTEC® containers creates an effective storage and retrieval system.




Advance High Strength Base

The honeycomb-design base of the XYTEC® container efficiently transfers content weight to the corners and allows secure stacking of fully loaded containers. Grid-base design option provides proper air ventilation for container contents.




Visible Container ID

To make identification of contents easy and fast, the standard sidewalls of XYTEC® containers include mold-in cardholders and areas for self-adhesive labels.



Return Ratio

Stacked and collapsed, XYTEC® containers save space and are the most cost-effective container for return shipping. The return ratio varies according to the height of the container and can go as high as 3 to 1.



Removable Panel Option

XYTEC® offers the only container on the market with the removable panel option. For access to products made easy, this efficient and innovative design choice is the perfect solution. All that is required is to slide the autolock clips towards the center of the container and the side panel is effortlessly released.



Rack Compatibility

Several features make XYTEC® containers an excellent choice for racking systems:

- Standard footprint size
- Base edges that slide on support rails
- Base free of center leg for unobstructed handling
- Base that supports up to 2500 pounds without deflection when suspended on rack



Security Options, Lids & Banding

To protect container contents, lids with banding-strap notches are available for all XYTEC® containers (see specifications for details). Banding slots in container sidewalls are also an option. For extra security of container contents, the XYTEC® 4840 features a padlock slot through its lid and sidewall (lock not provided).



Efficient Cubing

Standard, internationally accepted footprints and heights mean optimal cubing of truck trailers and ISO containers. No wasted space is experienced with XYTEC® containers.



Quick Sidewall Replacement

The hinged sidewalls of the XYTEC® containers are easily replaced with a flathead screwdriver – making it quick and simple to retrofit containers for different height or door configurations.



Fool-Proof Autolock

Large, easy-to-grasp handles make collapsing and erecting containers a snap. The spring-loaded clips automatically lock hinged sidewalls in the upright position. Separate clips lock access-doors and bulk-doors.



Easy Forklift Entry

XYTEC® containers are four-way forklift friendly, facilitating easy and secure mobility of products within your warehouse. Removable forkstraps are optional on all sides.

Xytec® 48" x 45" Container With 17 Available Design Combinations

C484525 C484534

| Outside Dimensions* inches (mm) | | |
|--|-------------|-------------|
| Length | 47.7 (1212) | 47.7 (1212) |
| Width | 44.7 (1135) | 44.7 (1135) |
| Height | 24.7 (627) | 33.8 (859) |

| Inside Dimensions* inches (mm) | | |
|---------------------------------------|-------------|-------------|
| Length | 44.2 (1123) | 44.2 (1123) |
| Width | 41.2 (1046) | 41.2 (1046) |
| Height | 18.9 (480) | 27.9 (709) |

| Collapsed Height inches (mm) | | |
|-------------------------------------|------------|------------|
| | 12.9 (328) | 12.9 (328) |

| Optional Access Opening(s)+ | | | |
|------------------------------------|-----------------|-----------------|-----------------|
| Access Door inches (mm) | 48" side | 48" side | 45" side |
| Height | 11.8 (300) | 15.8 (401) | 11.8 (300) |
| Width | 27.2 (691) | 29.3 (744) | 27.2 (691) |

| Bulk Door inches (mm) | 48" side | 48" side |
|------------------------------|-----------------|-----------------|
| Height | 9.3 (236) | 14.3 (363) |
| Width | 21.4 (543) | 21.0 (533) |

| Container Capacity** lbs. (kg) | 2500 (1134) | 2500 (1134) |
|---------------------------------------|-------------|-------------|
|---------------------------------------|-------------|-------------|

| Tare Weight** lbs. (kg) | 96 (43.5) | 120 (54.4) |
|--------------------------------|-----------|------------|
|--------------------------------|-----------|------------|

| Max. Static Vertical Load** lbs. (kg) | 12,980 (5887.6) | 13,100 (5942.1) |
|--|-----------------|-----------------|
|--|-----------------|-----------------|

| Max. Loaded Stack*** | | |
|-----------------------------|--------|--------|
| Static | 6 high | 6 high |
| Dynamic | 4 high | 3 high |

| Volume | | |
|---|--------------|--------------|
| External Volume ft ³ (m ³) | 30.48 (0.86) | 41.71 (1.18) |

| Approx. Return Ratio | 3:1 | 2.6:1 |
|-----------------------------|-----|-------|
|-----------------------------|-----|-------|

| Functional Temperature | -20 to 120°F (-29 to 49°C) | |
|-------------------------------|----------------------------|--|
|-------------------------------|----------------------------|--|

| Truckload Quantity | Collapsed | Upright | Collapsed | Upright |
|---------------------------|------------------|----------------|------------------|----------------|
| 45 ft. trailer | 176 | 88 | 176 | 66 |
| 48 ft. trailer | 192 | 96 | 192 | 72 |
| 53 ft. trailer | 234 | 104 | 234 | 78 |

| Sea Container Quantity | Collapsed | Upright | Collapsed | Upright |
|-------------------------------|------------------|----------------|------------------|----------------|
| 20 ft. | 56 | 32 | 56 | 24 |
| 40 ft. | 126 | 54 | 126 | 36 |
| 40 ft. high cube | 144 | 72 | 144 | 54 |

PRICING FOR POPULAR CONTAINER COMBINATIONS ABOVE

| 34" Height | Price/Ea. | 25" Height | Price/Ea. |
|-----------------------------|------------------|-------------------|------------------|
| #096 - 1 access door | [CALL] | #003 | [CALL] |
| #029 - 1 rmv. access panel | [CALL] | — | — |
| #104 - 2 access doors | [CALL] | #004 | [CALL] |
| #040 - 2 rmv. access panels | [CALL] | — | — |
| #043 - all solid | [CALL] | #006 | [CALL] |
| #023 - 1 door / 1 panel | [CALL] | — | — |
| #LS01 - LID | [CALL] | LS01 | [CALL] |

Buy-Back Program


Since our containers are constructed of 100% recyclable materials, our Xytec® factory will buy back as scrap and recycle your non-serviceable containers in truckload quantities. The Buy-Back Program not only offers environmental benefits, but also substantially decreases your initial purchase costs. Prices paid will vary according to the current market for scrap/regrind.

Dunnage Program

Ted Thorsen is available to help assess your parts-protection needs. We can assist you in the development of an efficient dunnage program that will not only secure proper protection of your products, but will also ensure efficient use of space within your container. A variety of materials are available for this purpose.


3-Year Warranty

All our XYTEC® products are warranted up to three years against defects in materials and workmanship.*



With 17 different combinations of access-door and bulk-door options and 25- and 34-inch height availability, the XYTEC® 4845 container provides the unique ability to be customized to fit your specific needs.

XYTEC® 4845 Door Combinations




Molded-In Cardholder




Call for Price
Where Available.

Label Holder



Call for Price
See Above.

Cardholder



Call for Price
Where Available.