


Two Useful New Ted Thorsen Designs for Special Situations

45" x 48" Tall Containers

– Up to 66" High




The ideal choice for large, awkward objects of even for low-density bulk materials, Highwall™ collapsible containers offer up to 66 inches in height.

Unique in the industry, they are constructed by adding extension sets to standard containers. They offer the same access-door and bulk-door configurations as the 4845 (see chart and opposite).

New Extended Length Containers


Available Sizes from 64" x 30" 96" x 45" with Multiple Combinations and Sizes In-Between



The newest addition to our product line is the XYTEC® CL. This extended length container is created by a thermal bonding process and available in a variety of configurations. Choices include any combination of footprint sizes, access doors, bulk doors, and removable panels, opening up numerous options. Call Ted Thorsen for details and quotes.


Extended Length Choices and Features

RETURN RATIO



This extended length container offers a return ratio of up to 3:1.

DOOR COMBINATIONS



The CL is available with many door combinations.

DISCOUNT SCHEDULE: (Prices Below)

1 - 11... LIST • 12 - 24... 5%
25 - 49... 8% • 50 - 99... 10%

Call  for Prices on Extended Length Containers.

SPECIFICATIONS AND PRICES: (For Tall Containers Only)


	C484542	C484544	C484548	C484550	C484564	C484566
C484534						
With Extension Sets inches (mm)	8 (203)	10 (254)	14 (356)	16 (406)	30 (762)	32 (813)
Outside Height* inches (mm)	41.5 (1054)	43.8 (1112)	47.7 (1212)	49.7 (1262)	63.9 (1623)	65.9 (1674)
Inside Height* inches (mm)	35.9 (912)	37.9 (963)	41.9 (1064)	43.9 (1115)	57.9 (1471)	59.8 (1519)
Collapsed Height	20.8 (528)	22.8 (579)	26.8 (681)	28.7 (729)	42.8 (1087)	44.8 (1138)
Tare Weight** lbs. (kg)	169.0 (76.8)	171.0 (77.7)	177.0 (80.5)	179.0 (81.4)	196.0 (89.1)	201.0 (91.4)
Max. Static Vertical Load lbs. (kg)	5338 (2426.4)	5342 (2428.2)	5354 (2433.6)	5358 (2435.5)	2696 (1225.5)	2701 (1227.7)
External Volume ft³ (m³)	51.21 (1.45)	54.01 (1.53)	58.86 (1.67)	61.33 (1.74)	78.85 (2.23)	81.31 (2.30)
Internal Volume ft³ (m³)	37.79 (1.07)	39.90 (1.13)	44.11 (1.35)	46.21 (1.31)	60.95 (1.73)	62.95 (1.78)
Approx. Return Ratio	2.5:1	2:1	1.5:1	1.5:1	2:1	2:1
Price Each — 1 - 11 Units						
----- CALL FOR PRICING ON ALL MODEL NUMBERS -----						
Truckload Quantity	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright
45 ft.	110 44	88 44	66 44	66 44	44 22	44 22
48 ft.	120 48	96 48	72 48	72 48	48 24	48 24
53 ft.	140 56	104 56	104 52	84 56	56 28	56 28
Sea Container Quantity	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright	Collapsed Upright
20 ft.	32 16	32 16	24 8	24 8	16 8	16 8
40 ft.	72 36	72 36	54 18	54 18	36 18	36 18
40 ft. high cube	90 36	72 36	54 36	54 36	36 18	36 18

NOTE: These additional shorter choices are also available.

	C484533	C484535	C484539	C484541	C484555	C484557
C484525						
With Extension Sets inches (mm)	8 (203)	10 (254)	14 (356)	16 (406)	30 (762)	32 (813)
Outside Height* inches (mm)	32.7 (831)	34.5 (876)	38.5 (978)	40.5 (1029)	54.9 (1395)	56.9 (1445)
Inside Height* inches (mm)	26.7 (678)	28.9 (734)	32.9 (836)	34.9 (887)	48.9 (1242)	50.9 (1293)
Collapsed Height inches (mm)	20.7 (526)	22.8 (579)	26.8 (681)	28.7 (729)	42.8 (1087)	44.8 (1138)

Call Ted Thorsen for additional specifications and pricing on these sizes.

32" x 30" Footprint Xytec® Containers In 25" and 34" Height with Access and Bulk Top Doors Available




Molded-In Cardholder

SPECIFICATIONS:

	HC323025	HC323034		
Outside Dimensions* inches (mm)				
Length	31.9 (809)	31.9 (809)		
Width	29.9 (758)	29.9 (758)		
Height	24.9 (632)	33.9 (861)		
Inside Dimensions* inches (mm)				
Length	29.3 (744)	29.3 (744)		
Width	27.5 (699)	27.5 (699)		
Height	17.5 (445)	26.5 (673)		
Collapsed Height inches (mm)	14.9 (378)	14.9 (378)		
Optional Access Opening(s)+				
Access Door inches (mm)	32" side	32" side		
Height	9.7 (246)	13.8 (351)		
Width	18 (457)	18 (457)		
Bulk Door inches (mm)	32" side	32" side		
Height	8.5 (216)	15.2 (386)		
Width	15.2 (386)	15.2 (386)		
Container Capacity** lbs. (kg)	2000 (907)	2000 (907)		
Tare Weight** lbs. (kg)	57.4 (26)	71.0 (32.2)		
Max. Static Vertical Load** lbs. (kg)	10,287 (4666.1)	10,355 (4696.9)		
Max. Loaded Stack***				
Static	6 high	6 high		
Dynamic	4 high	3 high		
Volume				
External Volume ft ³ (m ³)	13.74 (0.39)	18.71 (0.53)		
Approx. Return Ratio	1.7:1	2.3:1		
Functional Temperature	-20 to 120°F (-29 to 49°C)			
Truckload Quantity	Collapsed	Upright	Collapsed	Upright
45 ft. trailer	357	204	357	153
48 ft. trailer	378	216	378	162
53 ft. trailer	420	240	420	180
Sea Container Quantity	Collapsed	Upright	Collapsed	Upright
20 ft.	126	63	126	42
40 ft.	252	126	252	84
40 ft. high cube	294	168	294	126
LIDS 3230	LV323002			

48" x 40" Footprint Xytec® Containers In 34" and 39" Height To Cube Out In Every Trailer



Easy To Collapse

SPECIFICATIONS:

	C484034	C484039		
Outside Dimensions* inches (mm)				
Length	47.3 (1201)	47.3 (1201)		
Width	39.4 (1001)	39.4 (1001)		
Height	34.0 (864)	39.4 (1001)		
Inside Dimensions* inches (mm)				
Length	44.1 (1120)	44.1 (1120)		
Width	36.3 (922)	36.3 (922)		
Height	27.4 (696)	32.4 (823)		
Collapsed Height inches (mm)	14.9 (379)	14.9 (379)		
Optional Access Opening(s)+				
Access Door inches (mm)	48" side	48" side		
Height	13.3 (338)	16.0 (406)		
Width	31.0 (787)	31.0 (787)		
Container Capacity** lbs. (kg)	2500 (1134)	2500 (1134)		
Tare Weight** lbs. (kg)	119.0 (54)	130.3 (59.1)		
Max. Static Vertical Load** lbs. (kg)	13,080 (5933)	13,148 (5963.8)		
Max. Loaded Stack***				
Static	6 high	6 high		
Dynamic	2 high	2 high		
Volume				
External Volume ft ³ (m ³)	36.69 (1.04)	42.49 (1.2)		
Approx. Return Ratio	2.3:1	2.6:1		
Functional Temperature	-20 to 120°F (-29 to 49°C)			
Truckload Quantity	Collapsed	Upright	Collapsed	Upright
45 ft. trailer	182	78	182	52
48 ft. trailer	196	84	196	56
53 ft. trailer	210	90	210	60
Sea Container Quantity	Collapsed	Upright	Collapsed	Upright
20 ft.	60	20	60	20
40 ft.	120	40	120	40
40 ft. high cube	140	60	140	40
LIDS4840	LS484003			

Pricing for Popular Container Choices in Both Footprints Described Above

Features	25" Model	25" Price	34" Model	34" Price
1 access door	#013	[CALL]	#058	[CALL]
1 bulk & 1 access door	#011	[CALL]	#010	[CALL]
1 bulk door	#074	[CALL]	#011	[CALL]
2 access doors	#007	[CALL]	#052	[CALL]
Solid	#008	[CALL]	#053	[CALL]
LID fits all above	#001	[CALL]	#001	[CALL]

Features	34" Model	34" Price	39" Model	39" Price
1 access door	#34-07	[CALL]	#39-07	[CALL]
2 access doors	#34-08	[CALL]	#39-08	[CALL]
Solid sides	#34-09	[CALL]	#39-09	[CALL]
LID fits all above	#4840-01	[CALL]	#4840-01	[CALL]


DISCOUNT SCHEDULE: (Both Sizes) 1 - 11... LIST • 12 - 24... 5% • 25 - 49... 7% • 50 - 99... 10%

New from Ted Thorsen – The Boxx®

K.D. Pallet Box with Easy to Remove Replacement Components

- Ships K.D. for Minimum Freight
- Two Useful Footprints
- Two Wall Height
- Solid or Ventilated Sides

Useful for: • Transportation • Storage • Distribution • Harvest • Display



Two sizes:
Model 4048
Model 4848

The BOXX®

The BOXX® bulk container is a durable, space-efficient bin that is ideal for work-in-process component handling, raw material storage or finished product distribution.

- Disassembles completely
- Stackable to ten high fully loaded
- 4-way forklift entry, or 2-way & rail sides
- Smooth interior surface
- Replaceable components
- Solid or vented – sides and base
- FDA approved HDPE plastic material
- 3.5 to 1 back haul ratio



Easy to move and store with low cost/trip.

DIMENSIONS – MODEL 4048				
	L	W	MODEL 4048-30 H	MODEL 4048-29 H
Outside	47.8"	39.8"	30.2"	29"
Dimensions	1214 mm	1011 mm	767 mm	737 mm
Inside	45.3"	37.3"	24"	24"
Dimensions	1151 mm	947 mm	610 mm	610 mm
Weight			108 lb. (49 kg)	105 lb (48 kg)
Color	White			
Capacity	1,000 lb / 454 kg			
Volume	40,553 cu in / .66 cu m			
Truck Capacity	Assembled		Disassembled	
48 ft. Trailer	75 bins		240-270 bins	
53 ft. Trailer	90 bins		288-324 bins	
DIMENSIONS – MODEL 4848				
	L	W	MODEL 4848-30 H	MODEL 4848-29 H
Outside	47.8"	47.8"	30.2"	29"
Dimensions	1214 mm	1214 mm	767 mm	737 mm
Inside	45.3"	45.3"	24"	24"
Dimensions	1151 mm	1151 mm	610 mm	610 mm
Weight			124 lb. (56 kg)	122 lb (55 kg)
Color	White			
Capacity	1,200 lb / 544 kg			
Volume	49,250 cu in / .81 cu m			
Truck Capacity	Assembled		Disassembled	
48 ft. Trailer	66 bins		204-264 bins	
53 ft. Trailer	78 bins		288-324 bins	
PRICES				
MODEL	PRICE/UNIT	MODEL	PRICE/UNIT	
4048-30	[CALL]	4848-30	[CALL]	
4048-29	[CALL]	4848-29	[CALL]	
Please specify vented or solid.				
*Weight is slightly less in vented models.				

The Boxx® Assembly and Disassembly

STEP ONE


ASSEMBLY

STEP TWO

FEATURES & BENEFITS




Remove the base lock from one side using two hands.



Lifting the base, insert it into the slot of this first side. Re-insert the base lock to secure this side to the base.

STEP THREE

STEP FOUR



Take the opposite side and again remove the base lock. Then attach this side with a gentle kick to each corner. Again, re-insert the base lock. Repeat this step for the other two sides.



With all sides attached to the base, pull back on the extrusion lock. Remove the extrusion from one side and re-insert the extrusion so both sides are now connected. Continue this process around the bin and the assembly process is complete.

FEATURE

BENEFIT

Vent Slots

Vent Slots The vent slots enable maximum air flow. 920 slots (on the 48x48) and 856 slots (on the 40x48)

Complete Disassembly – 3.5:1 return ratio

Maximizes return freight space & storage space to reduce cost.

Removable Interlocking Side-Walls

For easy & inexpensive bin repair. Enables secure stacks of up to 10 bins.

Bottom Rail Standard on 30" Ht.

Enables use on chain conveyor & with automated dumping equipment. – 30"Ht.

4-Way Pallet-Jack Entry on 29"Ht. (2-Way on 30")

For easy handling in both a warehouse & retail setting.

Smooth Inside Corners & Surfaces

Improves product protection and eases dumping. Bins are easily cleaned and sanitized.

Optional Staple Blocks, Document Pockets & Logo Plates

Enable individual identification and bin tracking. Call T.T. for details.

UV Protection

Lengthens bin life when used outdoors.

DISASSEMBLY When disassembling bins, follow the above steps in reverse order.


Seamless One Piece Magnum™ Bulk Containers

Sanitary

HDPE plastic deters contaminants and can be easily cleaned. Magnum™ containers are impervious to extremes, water and sunlight.

FDA Approved

Molded of FDA approved material, Magnum™ containers are a natural for agriculture and food processing applications.



Engineered of structural-foam injected high-density polyethylene, they will not warp, erode, splinter or rust. Magnum™ containers are available in two standard footprint sizes, 48 x 44 and 42 x 29 inches. The solid, seamless construction offers a water tight interior, perfect for holding pellets, powders and liquids. Lids for the Magnum™ 4844 feature a smooth, slightly domed top, reinforced by ribs



Reinforced Corners

For extreme durability under rough handling, each corner on the Magnum™ is reinforced along its entire length. The inner surface is smooth for strength and ease-of-cleaning.

DISCOUNT SCHEDULE:
1 - 4... LIST
12 - 24... 5%
25 - 49... 7%
50 - 99... 10%
See Prices in Chart Below:

SPECIFICATIONS:

	PC4229	PC4844	
Outside Dimensions* inches (mm)			
Length	41.9 (1064)	47.9 (1217)	
Width	28.9 (734)	43.8 (1113)	
Height	27.9 (709)	29.3 (744)	
Inside Dimensions* inches (mm)			
Length	38.9 (988)	45.2 (1148)	
Width	25.8 (655)	41.3 (1049)	
Height	22.7 (577)	24.0 (610)	
Tare Weight** lbs. (kg)	69 (31.3)	95.0 (43.1)	
Container Capacity*** lbs. (kg)	900 (408)	95.0 (43.1)	
Max. Static Vertical Load lbs. (kg)	4845 (2197.7)	6475 (2937)	
Max. Loaded Stack***			
Static	6 high	6 high	
Dynamic	4 high	3 high	
Volume			
External Volume ft ³ (m ³)	19.6 (0.55)	35.6 (1.01)	
Approx. Return Ratio	1:1	1.5:1	
PRICE - White (FDA)	[CALL]	[CALL]	
PRICE - Black (Non-FDA Material)	[CALL]	[CALL]	
Truckload Quantity	Upright	Nested	Upright
45 ft. trailer	114	96	72
48 ft. trailer	117	100	72
53 ft. trailer	135	112	84
Sea Container Quantity	Upright	Nested	Upright
20 ft.	48	36	24
40 ft.	99	75	54
40 ft.	99	75	54

LIDS

Outside Dimensions* inches (mm) **LS4222904** **LS484403**


++: Available with optional O-ring seal for watertight closure.

PRICE White (FDA) [CALL] [CALL]
PRICE Black (Non-FDA Material) [CALL] [CALL]

Lid Option

Rugged structural-foam lids further protect the contents of Magnum™ containers. A lid with an optional O-ring seal provides a watertight cover for the Magnum 4844 container.


O-Ring Option: Add Price to Lids Below



Drain Plugs

To facilitate washing, rinsing or emptying contents, the Magnum™ 4844 container has an optional drain plug located on the bottom corner.

Price: [CALL] for Plug



Stackability

Positive base-to-top interlock allows for self-supporting stacks of Magnum™ container, with or without lids. Not only does this guarantee more space in your warehouse, but it also ensures a neat and efficient storage system.



Beveled Fork Straps

For smooth, rapid handling with pallet jacks, there are beveled fork straps on the 48-inch side of the Magnum™ container, which also allows ease of travel on roller conveyors.

Magnum™ 4844 containers feature four-way forklift entry and are compatible with domestic pallet jacks. The smaller Magnum™ 4229 container has two-way entry on the 42-inch sides for a forklift or domestic pallet jack.




Offers the Complete JIT Line of Stackable/Collapsible 2,000 lb. Capacity Structural Foam Containers

Compare These Features:


- Safety through strength - patented on piece base locks together with 12 tie straps for safer handling, topping and stacking
- FDA/USDA materials
- 4-way fork lift / 2-way hand truck entry
- Tough, error free slam latches
- Sturdy grid base design
- Large hinged gate for easy access
- Fold down sides - 3:1 return ratio
- New sizes (rigid) 48" x 44" x 29" and 42" x 44" x 28" also available

Options:


- Removable Lid
- Solid sides or 2 drop sides
- Insertable drop sheet bottom
- Custom colors
- I.D. plates, label holders
- Casters
- Molded in logo, etc.
- Conveyorable Base
- Hopper units with bottom or side discharge



With JIT patented Slam-Latch™ system and efficient hinge design, bins can be erected or knocked down in about 5 seconds.




A strong pallet base is the key to a superior container life.




Sturdy containers are built for rough handling.



Slam-Latch system provides reliable and efficient knock down and assembly.



30 x 32 Series Structural Foam Returnable Collapsible Containers (25" and 34" Heights)



40 x 48 Series Structural Foam Returnable Collapsible Containers (17" L - 25" - 29" - 34" Heights)



45 x 48 Series Structural Foam Returnable Collapsible Containers (25" and 34" Heights)

NOW AVAILABLE:

Extended Heights on Size 45" x 48" x 42", 48" and 50" tall
Plus Optional Hopper Bottom
Openings on 39", 48" and 50" Heights

Also NEW SIZES:

- 48"W x 64"L x 34"H and 50"H
- 48"W x 70"L x 34"H and 50"H
- 48"W x 78"L x 34"H and 50"H

See below for pricing on new items and page 26.

PERFORMANCE CHARACTERISTICS

Container Type	Load Capacity	Stack Height
3025	2000	5
3034	2000	5
4025	2500	6
4029	2500	6
4034	2500	6
4039	2500	6
4525	2000	6
4533	2000	6
4534	2000	6

Performance characteristics are based on uniform static loads and may be affected by concentrated loads and elevated temperatures.

Product Code	Description	External Dimensions Inches	Internal Dimensions Inches	Volume (approx.) Cu. Feet	Approx. Tare Weight Lbs.	Approx. Cap. 48' Trailer			PRICES					
						Approx. Ret. Ratio	Approx. Quantities Open	Approx. Quantities Closed	Standard Color	No Gate 1-11	One Gate 1-11	2 Gates 1-11		
											(See below)			
4517	4548 (17" height)	45 x 48 x 17	41.5 x 44.3 x 11.4	11.3	93	1 to 1	120	120	1	[CALL]	—	—		
4525	4548 (25" height)	45 x 48 x 25	41.8 x 44.5 x 18.5	20	115	2 to 1	96	192	1, 2, 3	[CALL]	[CALL]	[CALL]		
4534*	4548 (34" height)	45 x 48 x 34	41.8 x 44.5 x 27.5	30	140	3 to 1	72	192*	1, 2, 3, 4, 5	[CALL]	[CALL]	[CALL]		
4542	4548 (42" height)	45 x 48 x 42	41.8 x 44.5 x 35.5	37	172	2 to 1	48	120	1	[CALL]	[CALL]	[CALL]		
4548	4548 (48" height)	45 x 48 x 48	41.8 x 44.5 x 41.5	43	187	1.8 to 1	48	72	1	[CALL]	[CALL]	[CALL]		
4550	4548 (50" height)	45 x 48 x 50	41.8 x 44.5 x 43.5	45	197	1.7 to 1	48*	72	1	[CALL]	[CALL]	[CALL]		
3225	3032 (25" height)	30 x 32 x 25	27.3 x 29.3 x 20	9	60	2 to 1	228	456	1, 4	[CALL]	[CALL]	[CALL]		
3234	3032 (34" height)	30 x 32 x 34	27.3 x 29.3 x 28	13	80	3 to 1	171	456	1, 4	[CALL]	[CALL]	[CALL]		
4025	4048 (25" height)	40 x 48 x 25	35.8 x 43.5 x 18.5	19	130	2 to 1	112	224	1	[CALL]	[CALL]	[CALL]		
4029	4048 (29" height)	40 x 48 x 29	35.8 x 43.5 x 23	23	140	2 to 1	84	224	1	[CALL]	[CALL]	[CALL]		
4034	4048 (34" height)	40 x 48 x 34	35.8 x 43.5 x 27.5	27	150	3 to 1	84	224	1	[CALL]	[CALL]	[CALL]		
4039	4048 (39" height)	40 x 48 x 39	35.8 x 43.5 x 32.8	32	160	3 to 1	56	224	1	[CALL]	[CALL]	[CALL]		
4000	Cover for 4548	45 x 48 x 2	—	—	18	—	—	—	1	[CALL]	—	—		
4030	Cover for 3032	32 x 30 x 2	—	—	15	—	—	—	1	[CALL]	—	—		
4040	Cover for 4048	48 x 40 x 2	—	—	18	—	—	—	1	[CALL]	—	—		

JIT BINS AVAILABLE WITH 0, 1 OR 2 ACCESS DOORS.

COLORS: 1 = Black • 2 = Gray • 3 = Green • 4 = Dk. Blue • 5 = Lt. Blue

*Note: 45 x 48 x 34 with 2 doors is available only in yellow, white, purple, beige and red. Minimum quantity required for non-stock colors.

OPTIONAL BOTTOM COVER SHEETS: Loose: 30 x 32 [CALL] 48" Boxes - [CALL] Attached: 30 x 32 - [CALL] 48" Boxes - [CALL]


* Depends on trailer height

NOTE: Special Model 45338 includes an 8" tall space to contain returnable interior dunnage. Price: [CALL]

DISCOUNTS:
12 - 24 Units: 7% • 25 - 49 Units: 12%

Improved Extended Length Collapsible Units - 10 Choices

for products that require extra space and accessibility - 4 aluminum load carrier bars molded in - 48" long



Height: 19"
Solid Sidewalls



Height: 25" or 34"
Solid Sidewalls



Height: 34"
1 Open Sidewall / 1 Solid Sidewall



Height: 34"
2 Open Sidewalls

Product Features:

- Increased drop door access on 48" side
- Diagonal walls on extended length side for maximum access
- Collapses for space-saving storage and return shipment
- Rugged, long-lasting, simple to repair
- Resilient polyethylene construction
- Stackable folded or filled
- Four-way forklift access
- Units combine openings on the long sides with drop doors on the ends



All Extended Length containers are either 64.5" or 70" long and 48" wide. They are available in heights of 19", 25", 34", 41" and 50". Lids are available for all 64.5" models. There is also a versatile array of sidewall configurations. They feature 0, 1 or 2 hinged drop doors on the 48" side (except the 19" model)



Height: 41" or 50"
Solid Sidewalls



Height: 50"
1 Open Sidewall / 1 Solid Sidewall



Height: 50"
2 Open Sidewalls

Specs - 64 1/2" long models listed here by increasing side wall height.

Discounts 6-11 units 5% • 2-24 units 8%

64.5" Container Model		6419	6425	6434	6441	6450	
Exterior Dimensions	length	64.5"/1638mm	64.5"/1638mm	64.5"/1638mm	64.5"/1638mm	64.5"/1638mm	
	width	48"/1219mm	48"/1219mm	48"/1219mm	48"/1219mm	48"/1219mm	
	height	19"/483mm	25"/635mm	34"/864mm	41"/1041mm	50"/1270mm	
Interior Dimensions	length	61"/1549mm	61"/1549mm	61"/1549mm	61"/1549mm	61"/1549mm	
	width	44.5"/1130mm	44.5"/1130mm	44.5"/1130mm	44.5"/1130mm	44.5"/1130mm	
	height	13.1"/333mm	18.8"/478mm	27.9"/709mm	34.9"/886mm	44"/1118mm	
	height to fill line	12.1"/307mm	17.9"/455mm	26.9"/683mm	34"/864mm	43"/1092mm	
Door Drop Options		N/A	0, 1 or 2	0, 1 or 2	0, 1 or 2	0, 1 or 2	
Container Volume		ft ³ /m ³	20.6/0.58	28.1/0.77	43.8/1.2	53.4/1.46	69.1/2.0
Container Capacity		Rigid	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg
		Distributed	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg
Stack Height		Static/Dynamic	4/4	4/4	4/3	4/2	4/2
Tare Weight Solid Sidewalls (may vary)			124 lb/56.3 kg	149 lb/67.7 kg	178 lb/80.7 kg	220 lb/100kg	248 lb/112.5 kg
Tare Weight 1 Open/1 Solid Sidewall (may vary)	N/A		N/A	164 lb/74.4 kg	N/A	234 lb/106.1 kg	
Tare Weight 2 Open Sidewalls (may vary)			N/A	N/A	150 lb/68 kg	N/A	220 lb/99.8 kg
Collapsed Height			N/A	13.3"/338mm	13.3"/338 mm	29.2"/742 mm	29.2"/742 mm
Return Ratio			1:1	1.9:1	2.6:1	1.4:1	1.7:1
Truckload Quantity (Collapsed)	48' with lid/no lid	N/A	96/128	96/128	96/128	48/48	48/48
	53' with lid/no lid	N/A	108/144	108/144	108/144	54/54	54/54
Truckload Quantity (Open)	48' with lid/no lid	64/80	48/64	32/48	32/48	16/32	16/32
	53' with lid/no lid	72/90	54/72	36/54	36/36	18/36	18/36
40' ISO Container (Collapsed)	Std. with lid/no lid	N/A	45/63	45/63	18/27	18/27	18/27
	Hi Cube with lid/no lid	N/A	54/72	54/72	27/27	27/27	27/27
40' ISO Container (Open)	Std. with lid/no lid	36/36	27/27	18/18	18/18	9/9	9/9
	Hi Cube with lid/no lid	36/45	27/36	18/27	18/18	9/18	9/18
Standard Color			Black	Black	Black	Black	Black
Price/Ea	Specify Open or Closed Side Walls	Solid Sides	Solid Sides	Solid Sides	Solid Sides	Solid Sides	
No End Doors	(Open sides - 10% where available)	[CALL]	[CALL]	[CALL]	[CALL]	[CALL]	
1 End Door		—	[CALL]	[CALL]	[CALL]	[CALL]	
2 End Doors		—	[CALL]	[CALL]	[CALL]	[CALL]	
Covers to fit all 64 1/2" units — CALL FOR PRICE							


Specs-70" Long Models listed here by increasing side wall height

Discounts 6-11 units 5% • 2-24 units 8%

70" Container Model		7019	7025	7034	7041	7050	
Exterior Dimensions	length	70"/1778 mm	70"/1778 mm	70"/1778 mm	70"/1778 mm	70"/1778 mm	
	width	48"/1219 mm	48"/1219 mm	48"/1219 mm	48"/1219 mm	48"/1219 mm	
	height	19"/483 mm	25"/635 mm	34"/864 mm	41"/1041 mm	50"/1270 mm	
Interior Dimensions	length	66.4"/1687 mm	66.4"/1687 mm	66.4"/1687 mm	66.4"/1687 mm	66.4"/1687 mm	
	width	44.5"/1130 mm	44.5"/1130 mm	44.5"/1130 mm	44.5"/1130 mm	44.5"/1130 mm	
	height	13.1"/333 mm	18.8"/478 mm	27.9"/709 mm	34.9"/886 mm	44"/1118 mm	
	height to fill line	12.1"/307 mm	17.9"/455 mm	26.9"/683 mm	34"/864 mm	43"/1092 mm	
Drop Door Options		N/A	0, 1 or 2	0, 1 or 2	0, 1 or 2	0, 1 or 2	
Container Volume		ft ³ /m ³	20.7/0.59	30.6/0.84	46/1.3	58.1/1.59	73.5/2.1
Container Capacity		Rigid	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg	2000 lb/910 kg
		Distributed	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg	750 lb/341 kg
Stack Height		Static/Dynamic	4/4	4/4	4/3	4/2	4/2
Tare Weight Solid Sidewalls (may vary)			134 lb/60.8 kg	162 lb/73.5 kg	190 lb/86.2 kg	242 lb/109.8 kg	270 lb/122.5 kg
Tare Weight 1 Open/1 Solid Sidewall (may vary)			N/A	N/A	176 lb/79.8 kg	N/A	256 lb/116.1 kg
Tare Weight 2 Open Sidewalls (may vary)			N/A	N/A	162 lb/73.5 kg	N/A	242 lb/109.8 kg
Collapsed Height			N/A	13.3"/338mm	13.3"/338 mm	29.2"/742 mm	29.2"/742 mm
Return Ratio			1:1	1.9:1	2.6:1	1.4:1	1.7:1
Truckload Quantity (Collapsed)	48' with lid/no lid	N/A	NA/128	NA/128	NA/48	NA/48	NA/48
	53' with lid/no lid	N/A	NA/136	NA/136	NA/51	NA/51	NA/51
Truckload Quantity (Open)	48' with lid/no lid	NA/80	NA/64	NA/48	NA/32	NA/32	NA/32
	53' with lid/no lid	NA/85	NA/68	NA/51	NA/34	NA/34	NA/34
40' ISO Container (Collapsed)	Std. with lid/no lid	N/A	NA/63	NA/63	NA/27	NA/27	NA/27
	Hi Cube with lid/no lid	N/A	NA/72	NA/72	NA/27	NA/27	NA/27
40' ISO Container (Open)	Std. with lid/no lid	NA/36	NA/27	NA/18	NA/18	NA/9	NA/9
	Hi Cube with lid/no lid	NA/45	NA/36	NA/27	NA/18	NA/18	NA/18
Standard Color			Black	Black	Black	Black	Black
Price/Ea	Specify Open or Closed Side Walls	Solid Sides	Solid Sides	Solid Sides	Solid Sides	Solid Sides	
No End Doors	(Open sides - 10% where available)	[CALL]	[CALL]	[CALL]	[CALL]	[CALL]	
1 End Door		—	[CALL]	[CALL]	[CALL]	[CALL]	
2 End Doors		—	[CALL]	[CALL]	[CALL]	[CALL]	

Bulk Boxes – Returnable Reusable High Capacity

Heavy Duty Structural Foam Pallet Containers in Three Footprints



The Bulk Box Series is the practical approach to large volume/large part material handling. Use them to move or store raw materials, part assemblies, raw and processed food products or finished products. Bulk Boxes last through hundreds of trips, saving you money on the cost of replacement corrugated and the cost of disposal. Modular dimensions allow full cube utilization of semi-trailers. This elimination of wasted space, even with irregularly-shaped products, saves money in shipping costs.


Bulk Boxes are available in a range of sizes for increased versatility. An array of options allow broad feature specifications, so you get

exactly the container you need.

Several features combine to make Bulk Boxes the best built, most durable containers of their kind. Those features are highlighted on the following pages, along with all the information needed to select the right Bulk Box for your application.

Bulk Boxes and our entire line of reusable containers offer a wide range of material handling options. All Bulk Boxes are backed by a three year warranty against defects in material or workmanship.

You can depend on Ted Thorsen for quality products, on time delivery and continuing support after the sale. Contact us today. We'd be pleased to help you find effective solutions to your material handling problems.




1. Replacement steel runners

permit easy conveyability on most systems. Runners are recessed into feet, which extends container life, especially in abrasive floor conditions. They also serve as retaining straps for fork tines and make the box edgerackable. Seven runner options available, with choice of plastic or steel.




2. Areas for hot stamping, inserts or cardholders are conveniently located around the Bulk Box for easy in-process identification.

3. Molded of 100% high density polyethylene/structural foam process, the Bulk Box won't rust, peel or splinter and is resistant to water and mild acids. Withstands temperature range of -20°F to 120°F.



4. Latchless gate and interlocking side panel assemblies

have no extra springs, screws, nuts, bolts or pins to break, lose or misalign. Molded interlocking side panels and gates form continuous reinforcing ribs which add strength to high stress areas in the hinges and corners.




FOOTPRINT COMPARISON

HEIGHT AVAILABILITY

A variety of heights and sizes provide increased versatility, so it's easy to select the correct Bulk Box for your needs.

Bulk Boxes stack securely, replacing old style wood and steel frame containers in this work-in-process holding application for a pottery manufacturer. There are no nails or splinters; no frames to bend or rust.


Bulk Boxes offer full collapsibility to save valuable space when not in use. Easy to use hinged access doors are available on one or two sides on most sizes. Note information at right.



5. The hinged side gate allows convenient access to the contents of stacked, filled boxes. The bulk Box is available in one gate, two gate, or no gate configurations.

Five gate options available.


6. 48 x 45 and 40 models have up to 2500 lb. load capacity. (32 x 30 - 1500 lb.) assuring the safe transport and arrival of your products. The bottom container in a static stack will support double its weight capacity.



7. Ergonomic handles in the side walls and gate make assembly easy-on-the-hands.

8. Nine reinforced feet



allow the Bulk Box to be stacked three high when loaded. Feet are cored out from the inside and rounded for added shear strength and extra protection against cracking. The center foot provides additional strength to single unit loads.



9. Replaceable steel corner hit plates on feet, extend container life. Plates deflect fork-lift tines and prevent spearing, a common source of damage. Four styles of base configuration available.

10. Special hinge design allows side walls to fold flat for compact storage and stacking.

11. Four-way fork lift entry for easy transport.



12. Locking sides allow for safe one-person assembly.

13. 7" high and 10" high add-on extension rings available for size 48" x 45". Bulk Box (see prices opposite)

14. New Bulk Box Dollies provide mobility in all sizes without the need to fork lift or pallet jack. Prices are shown on opposite page.




Designed for Difficult High Impact Applications

Stackable/Collapsible 48" x 40" Bulk Box

Standard size pallet for domestic industry. Also corresponds with 1200mm x 1000mm metric configuration, commonly used in Europe. Can be molded with plastic runners on outside to replace the steel. Knock-down is simplified by sides which collapse non-sequentially.



Gravity Door



Waffle Handhold Area

FEATURES	STANDARD	OPTIONS*
Gates:	0, 1, 2 sides	1 or 2 ends
Color:	Black	Available to Specification
Runners:	3 steel	2 plastic & 1 or 3 steel. 5 steel
Hit Plates:	4 steel corner	Without hit plates
Bottom:	Closed	Open
Banding Slots:	On 2 sides and 2 ends	Without, or on 2 sides or on 2 ends
Gravity Door:	N/A	One end

*Minimum quantities apply

HEAVY USE FEATURES ARE STANDARD.

Model #	Outside Top Dim.			Inside Top Dim.			Outside Bot. Dim.		Inside Bot. Dim.		Capacity Lbs.	Capacity Cu. Ft.	Gallons	Est. Container Weight Lb.	Nesting Ratio	Trailer Capacity 48'		PRICING 1 - 99 UNITS			
	L"	W"	H"	L"	W"	H"	L"	W"	L"	W"						Stacked	Nested	No Gate	1 Gate	2 Gates	
723	47 ⁵ / ₈	39 ³ / ₄	34	44	36 ¹ / ₄	26 ¹ / ₂	47 ⁵ / ₈	39 ³ / ₄	44	36 ¹ / ₄	2500	24.46	183	151	3.0:1	84	224	CALL FOR PRICING			
722	47 ⁵ / ₈	39 ³ / ₄	29 ⁷ / ₈	44	36 ¹ / ₄	22 ³ / ₈	47 ⁵ / ₈	39 ³ / ₄	44	36 ¹ / ₄	2500	20.65	154.5	140	2.5:1	84	224	CALL FOR PRICING			
721	47 ⁵ / ₈	39 ³ / ₄	25 ⁵ / ₈	44	36 ¹ / ₄	18 ⁵ / ₁₆	47 ⁵ / ₈	39 ³ / ₄	44	36 ¹ / ₄	2500	16.79	125.5	129	2.1:1	112	224	CALL FOR PRICING			
Lid for 48" x 40" Series																					
840-700	48 ³ / ₈	40 ⁷ / ₁₆	2 ¹ / ₄	—	—	—	—	—	—	—	—	—	—	18.31	1.8:1	—	—	CALL FOR PRICING			

Dolly for this container (with 4 swivel casters) CALL FOR PRICING

Interworks with our 48" x 45" modular Handling System; six sizes of modular attached lid containers that stack and nest on a common pallet.



* New taller sizes now available 42" and 45" - see pricing add-on below

The 48" x 45" modular handling system allows full-cube transportation and storage including totes. See Catalog Page 88 for pricing.

FEATURES	STANDARD	OPTIONS*
Gates:	0, 1, 2 sides	—
Color:	Black	Available to Specification
	34" available in blue	
Runners:	3 steel	5 steel
Hit Plates:	4 steel corner	Without hit plates
Bottom:	Closed	—
Banding Slots:	On 2 sides and 2 ends	Without, or on 2 sides or on 2 ends
Extension Ring:	—	7" and 10" heights


*Minimum quantities apply

Model #	Outside Top Dim.			Inside Top Dim.			Outside Bot. Dim.		Inside Bot. Dim.		Capacity Lbs.	Capacity Cu. Ft.	Gallons	Est. Container Wt. Lb.	Nesting Ratio	Trailer Capacity 48'		PRICING 1 - 99 UNITS			
	L"	W"	H"	L"	W"	H"	L"	W"	L"	W"						Stacked	Nested	No Gate	1 Gate	2 Gates	
733	47 ⁵ / ₈	44 ⁵ / ₈	34	44 ¹ / ₄	41 ¹ / ₄	27	47 ⁵ / ₈	44 ³ / ₄	44	41 ¹ / ₄	2500	28.57	213	163	3.0:1	72	192	CALL FOR PRICING			
732	47 ⁵ / ₈	44 ⁵ / ₈	29 ⁷ / ₈	44 ¹ / ₄	41 ¹ / ₄	22 ⁷ / ₈	47 ⁵ / ₈	44 ³ / ₄	44	41 ¹ / ₄	2500	24.09	180	152	2.5:1	72	192	CALL FOR PRICING			
731	47 ⁵ / ₈	44 ⁵ / ₈	25 ⁵ / ₈	44 ¹ / ₄	41 ¹ / ₄	18 ⁵ / ₁₆	47 ⁵ / ₈	44 ³ / ₄	44	41 ¹ / ₄	2500	19.68	147	140	2.1:1	96	192	CALL FOR PRICING			
Lid for 48" x 45" Series																					
845-700	48 ³ / ₈	45 ¹ / ₄	2 ⁵ / ₁₆	—	—	—	—	—	—	—	—	—	—	19.7	1.8:1	—	—	CALL FOR PRICING			

Dolly for this container (with 4 swivel casters) CALL FOR PRICING

***48" x 45" Bulk Box Extension Rings fitted in two heights — +7" - Call for Price +10" - Call for Price Minimum quantity may apply**

The 32" x 40" Bulk Box was designed for easy use with features that make it unique among containers of its size. Four-way forklift entry, at widths compatible with standard 48" x 45" fork settings. Knock-down is simplified by sides that collapse non-sequentially in the 25" height in the 30" and 34" heights, knock-down is semi-sequential.



Gravity Door



Waffle Handhold Area

Four Way Fork Entry

Large 55 gallon capacity for liquid applications when used with polyethylene bag.

FEATURES	STANDARD	OPTIONS*
Gates:	0, 1, 2 sides	—
Color:	Black	Available to Specification
Runners:	3 steel	2 plastic and 1 steel
Hit Plates:	4 steel corner	—
Bottom:	Closed	Open
Banding Slots:	On 2 sides and 2 ends	Without, or on 2 sides or on 2 ends
Gravity Door:	N/A	One side


*Minimum quantities apply

Model #	Outside Top Dim.			Inside Top Dim.			Outside Bot. Dim.		Inside Bot. Dim.		Capacity Lbs.	Capacity Cu. Ft.	Gallons	Est. Container Wt. Lb.	Nesting Ratio	Trailer Capacity 48'		PRICING 1 - 11 UNITS			
	L"	W"	H"	L"	W"	H"	L"	W"	L"	W"						Stacked	Nested	No Gate	1 Gate	2 Gates	
713	32	30	34	27 ¹ / ₈	29 ¹ / ₄	28 ⁵ / ₈	30	32	27	29 ¹ / ₈	1500	12.63	94.5	73	2.22:1	171	342	CALL FOR PRICING			
712	32	30	30	27 ¹ / ₈	29 ¹ / ₄	24 ³ / ₈	30	32	27	29 ¹ / ₈	1500	10.78	80.6	69	1.96:1	171	342	CALL FOR PRICING			
711	32	30	25	27 ¹ / ₈	29 ¹ / ₄	19 ³ / ₈	30	32	27	29 ¹ / ₈	1500	8.48	63.4	65	1.9:1	228	399	CALL FOR PRICING			
Lid for 32" x 30" Series																					
832-700	32 ¹ / ₄	32 ¹ / ₄	2 ¹ / ₂	—	—	—	—	—	—	—	—	—	—	9.75	2:1	—	—	Call for Pricing			

Dolly for this container (with 4 swivel casters) CALL FOR PRICING

Collapsible Bulk Boxes • In Plant • Inter-Plant

Standard Duty - Moderate Impact - For All Industries • Lids and Interior Options




Ted Thorsen offers the industry's most comprehensive line of collapsible bulk containers – we're unmatched in our ability to meet your particular application size and capacity requirements. Our bulk containers offer performance, durability, and maximum space usage for high volume, large part material handling – from shipping to work-in-process to storage. Containers are available in a wide range of configurations with features including:

- Easy, one-person set up
- Collapse when empty for saving space and costs during return shipping
- Hinged drop gates for easy access; 0, 1, or 2 gate/door options
- Secure stacking, assembled or collapsed
- Identification areas on sides and bases with many ID systems available
- Optional: lids for all models, custom interiors, and special colors

Call  **Ted Thorsen for Pricing on Special Sizes and Features not shown.**

48" x 45" Industry Standard Series

Capacity up to 2,000 lbs.



S4525



- 25" and 34" heights; solid sides
- 4-way fork entry base
- Solid rigid bottom, vents
- Vented or solid base available

Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
S4525	48	1219	45	1143	25	635	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
S4534	48	1219	45	1143	34	864	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
Lid										
SFL4845	49	1245	46	1168	2	51	Black	[CALL]	SolidLid	
VFL4845	49	1245	46	1168	2	51	Black	[CALL]	Vented Lid	

48" x 45" General Purpose Series

Capacity up to 2,000 lbs.



G4525

Shown with one side folded down



- 25" and 34" heights; solid, ventilated, or solid/vent versions
- Molded base, hollow structural foam side walls
- 4-way fork entry base

Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
G4525	48	1219	45	1143	25	635	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
G4534	48	1219	45	1143	34	864	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
Lid										
SFL4845	49	1245	46	1168	2	51	Black	[CALL]	SolidLid	
VFL4845	49	1245	46	1168	2	51	Black	[CALL]	Vented Lid	

48" x 45" Extended Height Series

Capacity up to 2,000 lbs.



X4551



- Designed for large, bulky, hard-to-fit products
- 48" x 45" footprint; 41", 44", and 51" heights
- 48" sides have 0, 1, or 2 drop gate options

Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
X4541	48	1219	45	1143	41	1041	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
X4544	48	1219	45	1143	44	1118	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
X4551	48	1219	45	1143	51	1295	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
Lid										
SFL4845	49	1245	46	1168	2	51	Black	[CALL]	SolidLid	
VFL4845	49	1245	46	1168	2	51	Black	[CALL]	Vented Lid	

Light and Medium Duty Bulk Boxes

For General and Agricultural Use Up to 2,000 lbs.

- Ventilated Sides and Base Available
- Doors on Any Side

48" x 40" General Purpose Series

- 25", 33", and 46" heights; solid or ventilated sides and base versions, drop doors available on 4 sides
- Smooth interior allows easy cleaning
- Non-sequential folding
- Available with 9 feet or plastic runners

Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
G4025	48	1219	40	1016	25	635	Lt. Gray/Taupe Green/Blue	[CALL]	[CALL]	[CALL]
G4033	48	1219	40	1016	33	838	Lt. Gray/Taupe Green/Blue	[CALL]	[CALL]	[CALL]
G4046	48	1219	40	1016	46	1168	Lt. Gray/Taupe Green/Blue	[CALL]	[CALL]	[CALL]


Add for 3 runners on base - [Call for Pricing](#) Deduct for vented sides and base - [Call for Pricing](#)

Lid

Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
SFL4840	49.10	1247	41.10	1044	2	51	Black	[CALL]	SolidLid	
VFL4840	49.10	1247	41.10	1044	2	51	Black	[CALL]	Vented Lid	



G4033



G4046

32" x 30" General Purpose Series

- 25" and 30" heights; solid sides and base
- 2-way entry base


Model No.	L"	mm	W"	mm	H"	mm	Std. Color	Price No Gate	1 Gate	2 Gates
G3025	32	813	30	762	25	635	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]
G3034	32	813	30	762	30	762	Blue/Lt. Gray	[CALL]	[CALL]	[CALL]

Lid

SFL3230	33	838	31	787	2	51	Black	[CALL]	Solid Lid	
VFL3230	33	838	31	787	2	51	Black	[CALL]	Vented Lid	




G3025



Optional 4 Spring Leveling Platform can be installed as an ergonomic work-aid.

Xytec® Large Size 59" x 44 1/2" Knock Down Container For Big 2,200 lb. Loads

Outside Dimensions* in. (mm)	Length	Width	Height
	59 (1499)	44.5 (1130)	44.5 (1130)
Inside Dimensions* in. (mm)	Length	Width	Height
	55.7 (1415)	42 (1066)	38 (965)
Access Options	4 Removable Sides		
Tare Weight** lbs. (kg)	240 (109)		
Container Capacity*** lbs. (kg)	2200 (998)		
Max. vertical load lbs. (kg)	7872 (3572)		
Max. loaded stack***	Static	Dynamic	
	4 with a lid	2 with a lid	
Volume	External Volume ft ³ (m ³)	Return Ratio	
	67.6 (1.92)	3:1	
Truckload quantity	Collapsed	Upright	
45 ft. trailer	119	34	
48 ft. trailer	126	36	
Sea container quantity	Collapsed	Upright	
20 ft.	42	14	
40 ft.	90	30	



The Knock-Down KD5945 is ideal for all heavy-duty industrial applications. Engineered of structural foam plastic, the container offers years of unmatched reliability, durability and remarkable ease of handling. [Please call Ted Thorsen for current pricing & availability.](#)

The Industrial Board Placard • Reusable • Removable


A Creative Identification System for Your Reusable Bulk Containers & Wire Mesh Bins

FEATURES OF THE BOARD PLACARD:

- Can be die cut to any size.
- Easy removal and replacement of labels anywhere on your bulk containers.
- Affixes to a variety of surfaces.
- Accepts most standard label adhesives.

BENEFITS OF THE BOARD PLACARD:

- Can be fastened to containers with ribbed or uneven surfaces.
- Ideal for wire mesh bins with no locations for labels.
- Prevents mislabeled/misidentified containers which saves time and cost.
- Keeps containers neat and clean. • Replaces high cost of cardholders.
- Cuts cost of labor and time used to scrape labels.



Patented Process #5,417,790, The Kennedy Group, Cleveland OH.

STANDARD BOARD PLACARD SIZES AND PRICES

	250	500	1M	2.5M	5M	10M
IPX-1 (5.5"x7.875") 4 holes	CALL each	CALL each	CALL each	CALL each	CALL each	CALL each
IPX-2 (4.125"x7") 4 holes	CALL each	CALL each	CALL each	CALL each	CALL each	CALL each
IPX-4 (4.5"x6.5") blank 2 holes	CALL each	CALL each	CALL each	CALL each	CALL each	CALL each
IPX-6 (4"x6.875") blank no holes	CALL each	CALL each	CALL each	CALL each	CALL each	CALL each
IPEX-1 (7.0"x13.40") no holes	CALL each	CALL each	CALL each	CALL each	CALL each	CALL each