

Econo-line of

# Steel Platform and Flat Deck Trucks

## EPT Series with Removable Handle

- Base made of #13 gauge steel with longitudinal stiffeners underneath
- Removable handles made of 1" pipe
- Casters welded to base
- 4" hard rubber casters - two rigid and two swivel supplied on Models EPT-900, 901 and 902
- 6" x 2" polyolefin (plastic) casters - two rigid and two swivel, supplied on Models EPT 903 thru 913
- Finished in gray
- Other wheel choices available.



EPT-900-CB Shown



Cat. No. PTA-701 Shown



Cat. No. WS-1104 Shown

Depth	Width	Deck Height	Capacity	Cat. No.	Ship. Wt. with Casters	Price
18"	36"	63/8"	1000 lbs.	EPT-900	52 lbs.	\$(CALL)
24"	36"	67/8"	1000 lbs.	EPT-901	56 lbs.	\$(CALL)
24"	42"	67/8"	1000 lbs.	EPT-902	62 lbs.	\$(CALL)
24"	48"	97/8"	2000 lbs.	EPT-903	76 lbs.	\$(CALL)
24"	54"	97/8"	2000 lbs.	EPT-907	83 lbs.	\$(CALL)
24"	60"	97/8"	2000 lbs.	EPT-905	91 lbs.	\$(CALL)
24"	72"	97/8"	2000 lbs.	EPT-909	100 lbs.	\$(CALL)
30"	42"	97/8"	2000 lbs.	EPT-913	83 lbs.	\$(CALL)
30"	38"	97/8"	2000 lbs.	EPT-904	90 lbs.	\$(CALL)
30"	54"	97/8"	2000 lbs.	EPT-908	97 lbs.	\$(CALL)
30"	60"	97/8"	2000 lbs.	EPT-906	104 lbs.	\$(CALL)
30"	72"	97/8"	2000 lbs.	EPT-910	118 lbs.	\$(CALL)
36"	60"	97/8"	2000 lbs.	EPT-911	120 lbs.	\$(CALL)
36"	72"	97/8"	2000 lbs.	EPT-912	130 lbs.	\$(CALL)

COLORS • SPECIAL SIZES • MODIFIED DESIGNS • AVAILABLE ON ANY QUANTITY

- Base made of #13 gauge steel and channel formed on all four sides
- End racks made of 1" pipe with cross straps on PTA Series
- Side racks made of 1" pipe on WS Series
- Deck height is 8 1/4" from floor with 5" casters
- Deck height is 9 3/4" from floor with 6" casters
- 800 lb. capacity units have 5" rubber tire casters - two rigid and two swivel
- 2000 lb. capacity units have 6" x 2" polyolefin (plastic) casters - two rigid and two swivel
- Finished in gray

## PTA and WS Series

EPT Style Units Now Available in Stainless Steel and Aluminum. See Pages 285-286, 297.

PTA Two Removable Ends with Straps						WS Two Welded Pipe Sides 48"		PTA Two Removable Ends with Straps						WS Two Welded Pipes Sides 48"		
Depth	Width	Capacity	36" Above Deck	PTA Price	WS Price	Depth	Width	Capacity	36" Above Deck	PTA Price	WS Price	Depth	Width	Capacity	36" Above Deck	WS Price
20"	42"	800 lbs.	PTA-700	\$(CALL)	WS-1100	\$(CALL)	30"	42"	2000 lbs.	PTA-717	\$(CALL)	WS-1111	\$(CALL)			
22"	46"	800 lbs.	PTA-710	\$(CALL)	WS-1101	\$(CALL)	30"	48"	2000 lbs.	PTA-704	\$(CALL)	WS-1112	\$(CALL)			
24"	36"	800 lbs.	PTA-711	\$(CALL)	WS-1102	\$(CALL)	30"	54"	2000 lbs.	PTA-718	\$(CALL)	WS-1113	\$(CALL)			
24"	42"	800 lbs.	PTA-712	\$(CALL)	WS-1103	\$(CALL)	30"	60"	2000 lbs.	PTA-705	\$(CALL)	WS-1114	\$(CALL)			
24"	48"	2000 lbs.	PTA-701	\$(CALL)	WS-1104	\$(CALL)	30"	72"	2000 lbs.	PTA-706	\$(CALL)	WS-1115	\$(CALL)			
24"	54"	2000 lbs.	PTA-713	\$(CALL)	WS-1105	\$(CALL)	34"	48"	2000 lbs.	PTA-719	\$(CALL)	WS-1116	\$(CALL)			
24"	60"	2000 lbs.	PTA-702	\$(CALL)	WS-1106	\$(CALL)	34"	60"	2000 lbs.	PTA-720	\$(CALL)	WS-1117	\$(CALL)			
24"	72"	2000 lbs.	PTA-703	\$(CALL)	WS-1107	\$(CALL)	34"	72"	2000 lbs.	PTA-721	\$(CALL)	WS-1118	\$(CALL)			
28"	48"	2000 lbs.	PTA-714	\$(CALL)	WS-1108	\$(CALL)	36"	48"	2000 lbs.	PTA-707	\$(CALL)	WS-1119	\$(CALL)			
28"	60"	2000 lbs.	PTA-715	\$(CALL)	WS-1109	\$(CALL)	36"	60"	2000 lbs.	PTA-708	\$(CALL)	WS-1120	\$(CALL)			
28"	72"	2000 lbs.	PTA-716	\$(CALL)	WS-1110	\$(CALL)	36"	72"	2000 lbs.	PTA-709	\$(CALL)	WS-1121	\$(CALL)			

# Five Shelf Ready for Use All Welded and Set-Up "A" Frame



**FEATURES:**  
Casters mounted in quick change caster brackets  
Please specify lip up or lip down on shelves.  
800 and 3000 lb. capacity.

Open Portable Shelf Truck 1800 lb. Capacity



Cat. No. 7822 Shown



"OPT" Truck in use in a coat factory



Height - 48" above deck

- Welded Construction
- #13 gauge steel shelves with 1 1/2" lips up.
- 8" x 2" plastic roller bearing casters on Series HH and 5" ball bearing rubber on Series HL (two swivel and two rigid on all models)
- Push handle • Finished in gray or your choice of colors.
- F.O.B: MA, IA, AZ & NV

- All welded construction
- Made of 3/4" pipe with 1/2" rods on sides and back
- Shelves made of 16 gauge steel and sloped from front to rear
- 14" clearance between shelves
- Supplied with four 6" x 2" rubber tire swivel ball bearing casters
- Finished in gray

- Made of 1 1/2" angle iron construction
- Base made of heavy gauge steel with reinforced channels underneath
- 1" lip up on bottom to hold parts
- Supplied with four 6" x 2" rubber swivel casters
- Casters welded to base



"A" Frame with louvered panels and plastic bins available

Depth	Width	800 lb. Cap.		Ship. Wt.	3000 lb. Cap.		Ship. Wt.
		Overall Ht. 54 1/2"	Price		Overall Ht. 66 1/2"	Price	
18"	36"	HL-331	\$(CALL)	120	HH-367	\$(CALL)	220
18"	48"	HL-333	\$(CALL)	135	HH-368	\$(CALL)	250
24"	30"	HL-334	\$(CALL)	120	HH-370	\$(CALL)	220
24"	36"	HL-332	\$(CALL)	145	HH-371	\$(CALL)	250
24"	42"	HL-335	\$(CALL)	160	HH-369	\$(CALL)	275
24"	48"	HL-336	\$(CALL)	175	HH-372	\$(CALL)	300
24"	54"	HL-337	\$(CALL)	190	HH-378	\$(CALL)	325
24"	60"	HL-338	\$(CALL)	205	HH-373	\$(CALL)	350
30"	36"	HL-340	\$(CALL)	170	HH-375	\$(CALL)	290
30"	42"	HL-341	\$(CALL)	185	HH-379	\$(CALL)	330
30"	48"	HL-342	\$(CALL)	200	HH-376	\$(CALL)	350
30"	60"	HL-344	\$(CALL)	240	HH-377	\$(CALL)	415
36"	60"	HL-345	\$(CALL)	255	HH-381	\$(CALL)	480
36"	72"	HL-346	\$(CALL)	270	HH-382	\$(CALL)	520

add suffix (-W) for welded casters. Example: HL-330-W

Overall Height 61"				
Depth	Width	Cat. No.	Ship. Wt.	Price
22"	36"	OPT-3622W	193	\$(CALL)
22"	78"	OPT-7822W	342	\$(CALL)
24"	42"	OPT-4224W	225	\$(CALL)
24"	48"	OPT-4824W	245	\$(CALL)
30"	48"	OPT-4830W	290	\$(CALL)
30"	60"	OPT-6030W	340	\$(CALL)
30"	72"	OPT-7230W	403	\$(CALL)
36"	72"	OPT-7236W	458	\$(CALL)

COLORS • SPECIAL SIZES • MODIFIED DESIGNS • AVAILABLE ON ANY QUANTITY

Cat. No.	Depth	Width	Price
AF-2200	24"	36"	\$(CALL)
AF-2201	24"	48"	\$(CALL)
AF-2203	24"	60"	\$(CALL)
AF-2204	30"	42"	\$(CALL)
AF-2205	30"	48"	\$(CALL)
AF-2207	30"	60"	\$(CALL)
AF-2208	30"	72"	\$(CALL)
AF-2209	36"	48"	\$(CALL)
AF-2210	36"	60"	\$(CALL)
AF-2211	36"	72"	\$(CALL)

# 3-Sided Heavy Duty Carts

## 1200 and 2000 lb. Capacities

- Base made of #13 gauge steel
- Height of all units is 48" above deck
- EX-7000 Series made of angle iron construction with flattened expanded mesh sides and back
- SM-8000 Series has three solid sheet metal sides
- ST-6000 Series has three slat-type sides
- Push handle on all models
- Finished in gray
- 1200 lb. capacity units have 5" x 1 1/2" hard rubber casters - 2 rigid & 2 swivel
- 2000 lb. capacity units have 6" x 2" polyolefin (plastic) casters - 2 rigid and 2 swivel.
- Other dimensions available



Depth	Width	Cap.	Expanded Mesh Sides	Price	Solid Sheet Metal Sides	Price	Slat-Type Sides	Price	Add for Shelves (per shelf)
18"	36"	1200 lb.	EX-7000	[\$CALL]	SM-8000	[\$CALL]	ST-6000	[\$CALL]	[\$CALL]
24"	42"	1200 lb.	EX-7001	[CALL]	SM-8001	[CALL]	ST-6001	[CALL]	[CALL]
24"	48"	1200 lb.	EX-7002	[CALL]	SM-8002	[CALL]	ST-6002	[CALL]	[CALL]
24"	54"	1200 lb.	EX-7003	[CALL]	SM-8003	[CALL]	ST-6003	[CALL]	[CALL]
24"	60"	1200 lb.	EX-7004	[CALL]	SM-8004	[CALL]	ST-6004	[CALL]	[CALL]
30"	42"	2000 lb.	EX-7005	[CALL]	SM-8005	[CALL]	ST-6005	[CALL]	[CALL]
30"	48"	2000 lb.	EX-7006	[CALL]	SM-8006	[CALL]	ST-6006	[CALL]	[CALL]
30"	54"	2000 lb.	EX-7007	[CALL]	SM-8007	[CALL]	ST-6007	[CALL]	[CALL]
30"	60"	2000 lb.	EX-7008	[CALL]	SM-8008	[CALL]	ST-6008	[CALL]	[CALL]
30"	72"	2000 lb.	EX-7009	[CALL]	SM-8009	[CALL]	ST-6009	[CALL]	[CALL]
36"	60"	2000 lb.	EX-7010	[CALL]	SM-8010	[CALL]	ST-6010	[CALL]	[CALL]
36"	72"	2000 lb.	EX-7011	[CALL]	SM-8011	[CALL]	ST-6011	[CALL]	[CALL]

**QUANTITY DISCOUNTS**  
 3 - 5 units — Less 5%  
 6 - 9 — Less 7 1/2%  
 10 - 24 — Less 10%

Modifications available — shelves, half-drop front hinged panels, full removable front panel, closed top, garment hanger bars, tilt bases.

## Rolling Service Stock Carts

500 lb. Capacity - Other models available with capacities to 2500 lbs. Call Ted Thorsen for pricing.



Cat. No. RSC-1213 Shown

1 1/2" deep shelves with all lips up

Depth	Width	Height	No. of Shelves	Cat. No.	Ship. Wt.	Price
18"	30"	35"	2	RSC-1200	80 lbs.	[\$CALL]
18"	30"	35"	3	RSC-1201	88 lbs.	[CALL]
18"	30"	49"	4	RSC-1202	96 lbs.	[CALL]
18"	33"	35"	2	RSC-1203	84 lbs.	[CALL]
18"	33"	35"	3	RSC-1204	89 lbs.	[CALL]
18"	33"	49"	4	RSC-1205	94 lbs.	[CALL]
18"	36"	35"	2	RSC-1206	87 lbs.	[CALL]
18"	36"	35"	3	RSC-1207	93 lbs.	[CALL]
18"	36"	49"	4	RSC-1208	99 lbs.	[CALL]
18"	48"	35"	2	RSC-1209	95 lbs.	[CALL]
18"	48"	35"	3	RSC-1210	100 lbs.	[CALL]
18"	48"	49"	4	RSC-1211	105 lbs.	[CALL]
22"	36"	35"	2	RSC-1212	90 lbs.	[CALL]
22"	36"	35"	3	RSC-1213	96 lbs.	[CALL]
22"	36"	49"	4	RSC-1214	102 lbs.	[CALL]
24"	36"	35"	2	RSC-1215	92 lbs.	[CALL]
24"	36"	35"	3	RSC-1216	98 lbs.	[CALL]
24"	36"	49"	4	RSC-1217	104 lbs.	[CALL]
24"	42"	35"	2	RSC-1218	100 lbs.	[CALL]
24"	42"	35"	3	RSC-1219	120 lbs.	[CALL]
24"	42"	49"	4	RSC-1220	140 lbs.	[CALL]
24"	48"	35"	2	RSC-1221	108 lbs.	[CALL]
24"	48"	35"	3	RSC-1222	131 lbs.	[CALL]
24"	48"	49"	4	RSC-1223	154 lbs.	[CALL]

For shelves with lips down add suffix-L.

- Made of #13 gauge steel
- Push Handle
- Supplied with two 5" rigid and two 5" swivel plate rubber casters
- Finished in gray
- Optional: 800 lb. capacity with 5" rubber tired casters
- Special sizes and designs quoted to your exact specifications
- Similar units now available in stainless steel. Call for pricing.

## Ladder Cart

800 lb. Capacity

- Made of #13 gauge steel
- 3 shelves with 1 1/2" lips up
- Supplied with 5" rubber tire casters - 2 rigid and 2 swivel
- Ladder is spring loaded; grips floor when stepped on
- Non-skid steps
- Finished in gray



Cat. No. 2041-78R Shown



Detail of modified ladder truck showing optional paperwork tray and added front bin

Depth	Width	No. Steps	Ladder Height	Cat. No.	Ship. Wt.	Price
20"	41"	3	48"	LC-2041R	150 lbs.	[\$CALL]
24"	48"	3	48"	LC-2448-R	165 lbs.	[CALL]
20"	41"	4	78"	LC-2041-78R	169 lbs.	[CALL]
24"	48"	4	78"	LC-2448-78R	185 lbs.	[CALL]

## Ladder Cart Accessory



Made of 1" pipe

Ladder is spring loaded - grips floor when stepped on (fits any standard cart by drilling 4 holes)

Cat. No.	Width	Price	78" Overall Ht. 4 non-skid steps	Cat. No.	Price
CLA-16	16" wide	[\$CALL]		CLA-78-16	[\$CALL]
CLA-18	18" wide	[CALL]		CLA-78-18	[CALL]
CLA-20	20" wide	[CALL]		CLA-78-20	[CALL]
CLA-22	22" wide	[CALL]		CLA-78-22	[CALL]
CLA-24	24" wide	[CALL]		CLA-78-24	[CALL]

COLORS • SPECIAL SIZES • MODIFIED DESIGNS  
 • AVAILABLE ON ANY QUANTITY

# Heavy Duty Service Carts

## 4,000 lb. Capacity

Feature! Casters mounted in quick change caster brackets

- All welded construction
- Flat top shelves
- Shelves made of #13 gauge steel and channel formed on all four sides with stiffeners underneath
- Supplied with four 8" x 2" plastic roller bearing casters - two rigid and two swivel.
- Push handle
- Finished in gray.



HET-420-2 shown  
Shelf Clearance:  
2 shelves - 21"  
3 shelves - 9 5/8"

# All Welded Low Deck Shop Trucks

## Two Heights

Straight Handle Type  
Shelf Clearance 21"  
Top Shelf 30" above floor



FEATURE!  
Casters Mounted in Quick Change Caster Brackets

## 800 Lb.. Capacity

- Shelves made of #13 gauge steel with lips down.
- Handle offset on LD Series to allow room for fingers when loaded with packages.
- Supplied with 5" rubber casters - 2 rigid and 2 swivel
- Finished in gray


Offset Handle Type  
Shelf Clearance 16"  
Top Shelf 25" above floor



Note: 2000 and 4000 lb. capacity units also available.

# Open Deck Welded

## 800 lb. Capacity Two or Three Shelf



Two or Three Shelves

- #16 gauge steel shelves with stiffeners underneath.
- Supplied with four 5" rubber ball bearing swivel casters
- Finished in gray
- Overall height 30"

Note: 2000 and 4000 lb. capacity units also available.

## Two or Three Shelves 36" Overall Height

Depth	Width	No. of Shelves	Cat. No.	Ship Wt.	Price
24"	36"	2	HET-419-2	145 lbs.	[\$CALL]
24"	36"	3	HET-419-3	190 lbs.	[\$CALL]
24"	48"	2	HET-420-2	155 lbs.	[\$CALL]
24"	48"	3	HET-420-3	216 lbs.	[\$CALL]
24"	60"	2	HET-421-2	182 lbs.	[\$CALL]
24"	60"	3	HET-421-3	246 lbs.	[\$CALL]
24"	72"	2	HET-422-2	265 lbs.	[\$CALL]
24"	72"	3	HET-422-3	276 lbs.	[\$CALL]
28"	48"	2	HET-423-2	180 lbs.	[\$CALL]
28"	48"	3	HET-423-3	232 lbs.	[\$CALL]
28"	60"	2	HET-424-2	196 lbs.	[\$CALL]
28"	60"	3	HET-424-3	266 lbs.	[\$CALL]
28"	72"	2	HET-425-2	222 lbs.	[\$CALL]
28"	72"	3	HET-425-3	306 lbs.	[\$CALL]
34"	48"	2	HET-426-2	195 lbs.	[\$CALL]
34"	48"	3	HET-426-3	270 lbs.	[\$CALL]
34"	60"	2	HET-427-2	225 lbs.	[\$CALL]
34"	60"	3	HET-427-3	315 lbs.	[\$CALL]
34"	72"	2	HET-428-2	255 lbs.	[\$CALL]
34"	72"	3	HET-428-3	360 lbs.	[\$CALL]

For shelves with lips up, add suffix -L.

Example: HET-421-3-L. Additional Cost is [\$CALL] per shelf

Depth	Width	Offset Handle Type	Price	Ship. Wt.	Straight Handle Type	Price	Ship Wt.
18"	30"	LD-830	[\$CALL]	68	SH-830	[\$CALL]	90
18"	36"	LD-831	[\$CALL]	94	SH-831	[\$CALL]	94
18"	48"	LD-832	[\$CALL]	100	SH-832	[\$CALL]	100
22"	36"	LD-836	[\$CALL]	97	SH-836	[\$CALL]	97
24"	30"	LD-834	[\$CALL]	84	SH-834	[\$CALL]	98
24"	36"	LD-835	[\$CALL]	94	SH-835	[\$CALL]	100
24"	42"	LD-837	[\$CALL]	105	SH-837	[\$CALL]	102
24"	48"	LD-838	[\$CALL]	109	SH-838	[\$CALL]	109
24"	60"	LD-840	[\$CALL]	120	SH-840	[\$CALL]	120
30"	42"	LD-841	[\$CALL]	125	SH-841	[\$CALL]	120
30"	48"	LD-842	[\$CALL]	126	SH-842	[\$CALL]	126
30"	60"	LD-843	[\$CALL]	140	SH-843	[\$CALL]	140
30"	72"	LD-844	[\$CALL]	158	SH-844	[\$CALL]	158
36"	60"	LD-845	[\$CALL]	158	SH-845	[\$CALL]	158
36"	72"	LD-846	[\$CALL]	170	SH-846	[\$CALL]	170

SPECIAL SIZES • MODIFIED DESIGNS • AVAILABLE ON ANY QUANTITY


Depth	Width	Cat. No.	No of Shelves	Ship. Wt.	Price
18"	36"	HMT-315-2	2	85	[\$CALL]
18"	36"	HMT-315-3	3	105	[\$CALL]
18"	48"	HMT-316-2	2	93	[\$CALL]
18"	48"	HMT-316-3	3	114	[\$CALL]
24"	36"	HMT-317-2	2	93	[\$CALL]
24"	36"	HMT-317-3	3	114	[\$CALL]
24"	42"	HMT-318-2	2	100	[\$CALL]
24"	42"	HMT-318-3	3	121	[\$CALL]
24"	48"	HMT-320-2	2	102	[\$CALL]
24"	48"	HMT-320-3	3	135	[\$CALL]
24"	60"	HMT-321-2	2	116	[\$CALL]
24"	60"	HMT-321-3	3	156	[\$CALL]
30"	48"	HMT-322-2	2	115	[\$CALL]
30"	48"	HMT-322-3	3	152	[\$CALL]
30"	60"	HMT-323-2	2	133	[\$CALL]
30"	60"	HMT-323-3	3	178	[\$CALL]
30"	72"	HMT-324-2	2	151	[\$CALL]
30"	72"	HMT-324-3	3	194	[\$CALL]
36"	60"	HMT-325-2	2	151	[\$CALL]
36"	60"	HMT-325-3	3	194	[\$CALL]
36"	72"	HMT-326-2	2	183	[\$CALL]

# NEW! 2 Sided and 3 Sided Stock Trucks

- ✓ All Welded
- ✓ Shipped Completely Assembled
- ✓ Ready to Use

## 800 lb. and 2000 lb. Capacity

- Made of heavy gauge steel
- Height of all units is 52" above deck
- Push handle
- Frame made of 1 1/2" angle iron
- 800 lb. capacity units have 5" rubber casters — two rigid and two swivel
- 2000 lb. capacity units have 8" x 2" mold-on rubber casters
- Finished in gray
- Quantity discounts available
- Alternate designs, dimensions and specifications will be quoted promptly on request.



Unique hinged two part security shelf truck provides complete protection of stored items. This design is adaptable to other interior layouts.

Call [TT] for pricing to your specification.



Depth	Width	800 lb. Cap.		2000 lb. Cap.		800 lb. Cap.		2000 lb. Cap.		
		Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	
24"	36"	3S-600-5HR	3S-614-8MR	3S-628-5HR	3S-642-8MR	2S-800-5HR	2S-814-8MR	2S-828-5HR	2S-842-8MR	
PLEASE CALL FOR PRICES										
24"	42"	3S-602-5HR	3S-616-8MR	3S-630-5HR	3S-633-8MR	2S-802-5HR	2S-816-8MR	2S-830-5HR	2S-844-8MR	
PLEASE CALL FOR PRICES										
24"	48"	3S-6044-5HR	3S-618-8MR	3S-632-5HR	3S-646-8MR	2S-804-5HR	2S-818-8MR	2S-832-5HR	2S-846-8MR	
PLEASE CALL FOR PRICES										
30"	48"	3S-606-5HR	3S-620-8MR	3S-634-5HR	3S-648-8MR	2S-806-5HR	2S-820-8MR	2S-834-5HR	2S-848-8MR	
PLEASE CALL FOR PRICES										
30"	60"	3S-608-5HR	3S-622-8MR	3S-636-5HR	3S-650-8MR	2S-808-5HR	2S-822-8MR	2S-836-5HR	2S-850-8MR	
PLEASE CALL FOR PRICES										



Modified Model D with closed back and adjustable shelves.

## Poly Top Trucks With Unique Steel Frame and Lip-Up or Lip-Down Construction

### NEW


Unique "lip up" design makes product selection and control easier, without roll off, slide or spill.

### POLY TOP IS RUGGED

1/4" linear plastic, won't rust, rot or splinter; retains excellent appearance.


### SAFETY

Safety concerns are minimized. Rounded corners, resilient perimeter, no sharp steel mean reduced exposure to accidents. Standard wheels are phenolic 6" x 2". Handle fits swivel or rigid end. Casters are welded to heavy duty steel lower deck. Options: Special casters, wheels, wheel locks, handle at both ends, custom colors.

Call  for pricing on options.



Chrome handles



High density polyethylene deck

Tubular steel undercarriage

(2) rigid (2) swivel casters

Model Number	Poly Top Platform Trucks	Shipping Class	Dimensions	Lbs.	Price/Ea.
*PPT-2436	Poly-Top Platform Truck, Lip Down	92.5	24" x 36"	72	[CALL]
*PPT-2448	Poly-Top Platform Truck, Lip Down	92.5	24" x 48"	82	[CALL]
*PPT-3060	Poly-Top Platform Truck, Lip Down	92.5	30" x 60"	105	[CALL]
PPT-2448K	Poly-Top Platform Truck, Lip Down,	92.5	24" x 48"	60	[CALL]
Ship U.P.S. 5" x 1 1/2" Rubber Wheel Casters					
*PTNT-2436	Poly-Top Platform Truck, Lip Up, Ship U.P.S.	92.5	24" x 36"	71	[CALL]
*PTNT-2448	Poly-Top Nursery Truck, Lip Up, Ship U.P.S.	92.5	24" x 48"	80	[CALL]
*PTNT-3060	Poly-Top Nursery Truck, Lip Up	92.5	30" x 60"	115	[CALL]
Standard on above Platform Trucks- Steel Frame, Polyethylene Tops, Chrome Handle - Colors Available on Tops: Kelly Green, Forest Green, Grey, Red and Blue. 30" x 60" and 24" x 36" Available in Red Only.					

\*Standard Casters are 6 x 2 Phenolic-900 lb. Capacity.




## New Triple™ Trolley Solves Problems Every Day

Use it inside or outside - It's lightweight, flexible and strong and the price is right!

Triple™ Trolley offers three ways to keep your work moving.



Upright position for pushing loads.



Angle position for pulling loads



Handle folds flat for use as a dolly. Allows easy carrying and efficient storage.



Ergonomic handle provides comfort and control.

Three-position handle lets users push, pull or fold flat for space-efficient storage.

Non-skid surface helps prevent floor slipping.

Cut-out in platform provides finger hold for control when carrying.

480 lb. (181.4 kg) capacity model for industrial use.

3" casters give stability over rough surfaces.

Durable structural frame deck won't rust, dent or bend.

250 lb. (112.4 kg) capacity model for utility applications.

Mark-resistant casters reduce line-consuming floor cleaning.

### Triple™ Trolley

Item No.	Description	Dimensions	Capacity	Color	Pack	Price/Ea
4400-00	Triple™ Trolley, Utility Duty	32 1/2" x 20 1/2" w 82.6cm. x 52.1cm.	250 lb. capacity 113.4kg. capacity	GRAY	1	[CALL]
4401-00	Triple™ Trolley, Standard Duty	32 1/2" x 20 1/2" w 82.6cm. x 52.1cm.	400 lb. capacity 181.4kg. capacity	GRAY	1	[CALL]

Discounts: 2 - 5: less 5% 6+: less 10%

## Tubular Steel Raised Platform Trucks

1500 Lb. Capacity

- Heavy duty tubular steel construction
- Handles removable for shipping on PT-1 series
- 800 lb. capacity with 4" casters, two rigid and two swivel
- 1,500 lb. capacity with 8" wheels and 4" swivel casters
- Silver powder coat paint
- Available with one handle (1H) or two handles (2H)
- Bolted Casters
- PT1 Series will ship Via up
- Handle heights-40 1/2"
- PT1 Deck-14 1/2" High
- PT2 -Top-26" High



### Discounts/Unit:

3 - 5:	5%
6 - 11:	8%
12 - 25:	10%



Model	Description/Size	Ship Wt.	Price/Ea
PT1-1636-1H-4W	16"W x 36"L - 1 Handle, 4 Whls	42	[CALL]
PT1-1636-2H-4W	16"W x 36"L - 2 Handles, 4 Whls	47	[CALL]
PT1-1636-1H-6W	16"W x 36"L - 1 Handle, 6 Whls	54	[CALL]
PT1-1636-2H-6W	16"W x 36"L - 2 Handles, 6 Whls	58	[CALL]
PT1-1841-1H-4W	18"W x 41"L - 1 Handle, 4 Whls	45	[CALL]
PT1-1841-2H-4W	18"W x 41"L - 2 Handles, 4 Whls	50	[CALL]
PT1-1841-1H-6W	18"W x 41"L - 1 Handle, 6 Whls	57	[CALL]
PT1-1841-2H-6W	18"W x 41"L - 2 Handles, 6 Whls	60	[CALL]
PT1-1853-1H-4W	18"W x 53"L - 1 Handle, 4 Whls	52	[CALL]
PT1-1853-2H-4W	18"W x 53"L - 2 Handles, 4 Whls	56	[CALL]
PT1-1853-1H-6W	18"W x 53"L - 1 Handle, 6 Whls	63	[CALL]
PT1-1853-2H-6W	18"W x 53"L - 2 Handles, 6 Whls	68	[CALL]
PT2-1636	16"W x 36"L - 2 Pipe Decks	50	[CALL]
PT2-1841	18"W x 41"L - 2 Pipe Decks	55	[CALL]
PT2-1853	18"W x 53"L - 2 Pipe Decks	61	[CALL]

## New Work Height Platform Truck

The Work Height Platform Truck combines quality tongue and groove wood deck with a special steel frame to create a platform truck with a deck at the working level. The extended height of the deck's work surface reduces the strain of lifting and bending, a real backsaver! The Work Height Platform Truck is great for any work area where bending and lifting are involved.



Elevated platform reduces loading effort, avoids injury.

Available in two sizes, 24" x 48" and 30" x 60". The overall deck height for both sizes is 26 1/2". The platform truck comes standard with two swivel and two rigid 8" mold-on rubber casters. Optional brakes and paper work holders available. Ships knocked down for your assembly on site. Other sizes quoted on request as well as design modification and additions. Adjustable heights available: 26" to 30" to 32".

Model	Size	Weight	Price/Ea	Adj. Price/Ea.
WH24481A5M8	24" x 48"	105 lbs.	[CALL]	[CALL]
WH30601A5M8	30" x 60"	158 lbs.	[CALL]	[CALL]
Optional Brakes on 2 Swivel Casters			[CALL]	[CALL]
Optional 2nd Handle			12 lbs.	[CALL]



# Stainless Steel Carts for Special Applications and Conditions

\* Clean Rooms • Labs • Special Manufacturing Environments • Food • Health Care

\*IMPORTANT: Please let us know if your unit(s) will be used in a clean room. If so, additional preparation steps will be taken prior to shipping.

Every cart is functionally designed and engineered to give you remarkably long service life. As cart load ratings increase from 200, 400, 650 and 1,000 lbs., heavier metals, structural bracing, and larger casters are employed.

Special Carts: Special carts are available in standard shelf sizes-built to your shelf arrangements, clearances and overall height requirements. Contact Ted Thorsen for prices.

## Utility Carts

### Angle-Leg Models

Durable chassis frame with protective bumpers on legs and handles. Ideal for constant usage with light to moderate loads. Available in 200 lb. and 400 lb. capacity. 1" lip on three (3) sides of top and middle shelves. All rubber swivel casters standard. In stock; ships ready to use. Note! 650 and 1000 lb. cap. Models are also available. Call for pricing.



Quick Ship

Model No. 422

### Angle-Leg Utility Carts-3-Shelf

Model No.	Overall Size (in.) W x L x H	Shelf Size (in.)	Number Of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Price/Ea.
311*	16 1/4 x 27 1/2 x 32 1/8	15 1/2 x 24	3	200	3 1/2	29	[CALL]
322	18 1/8 x 30 1/4 x 33	18 x 27	3	200	3 1/2	32	[CALL]
411*	16 3/4 x 27 1/2 x 33 3/8	15 1/2 x 24	3	400	4	39	[CALL]
422	19 x 31 x 33 3/8	18 x 27	3	400	4	42	[CALL]
444	22 3/8 x 39 1/4 x 37 1/4	21 x 35	3	400	5	68	[CALL]


\* Can ship U.P.S. • All carts provided with four (4) swivel

## Machine Stands

These heavy-duty stands are constructed with 18-gauge stainless steel tops reinforced by 1 1/2" x 1 1/2" by 12-gauge material. Excellent for laboratory, clean room or climate sensitive environments. For all-purpose use in virtually any work area. Machine stands are shipped assembled.

Note! For NSF certified-ADD suffix NSF. These units also available without casters. Call for pricing.

### Machine Stands



Model No. 716

Model No.	Model# Listed	Overall Size (in.) W x L x H	Shelf Size (in.)	# Of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Price Ea.	NSF Price Ea.
715*	515	21 1/4 x 25 1/4 x 21 3/16	20 x 24	2	650	4	44		
716*	516	21 1/4 x 25 1/4 x 29 7/16	20 x 24	2	650	4	47		
717	517	25 1/4 x 33 1/4 x 21 7/16	24 x 32	2	650	4	49		
718	518	25 1/4 x 33 1/4 x 29 7/16	24 x 32	2	650	4	61		

CALL FOR PRICES

### Stationary Units

Model No.	Model# Listed	Overall Size (in.) W x L x H	Shelf Size (in.)	# Of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Price Ea.	NSF Price Ea.
735*	535	20 x 24 x 21	20 x 24	2	650	NONE	43		
736*	536	20 x 24 x 29	20 x 24	2	650	NONE	46		
737	537	24 x 32 x 21	24 x 32	2	650	NONE	57		
738	538	24 x 32 x 29	24 x 32	2	650	NONE	58		

CALL FOR PRICES

\* Can be shipped U.P.S.

• Models supplied with casters are equipped with two (2) rubber swivel and two (2) rubber swivel with brake. Bottom shelf is 9 1/2" from floor.

• Non-caster models are equipped with four (4) adjustable feet. Bottom shelf is 7 1/2" from floor.

## Multi-Shelf Carts

Durable and sturdy, these versatile carts are ideal for efficient transfer of any kind of maintenance, supply or bulk item. All are equipped with two (2) rubber swivel casters for quiet maneuverability. Available either with all shelf edges down or with one (1) edge down and three (3) up. Custom shelf configurations are available. All multi-shelf carts require no assembly.



Model No. 433 Standard Model



Model No. 733 Heavy Duty Model

### Standard-Duty Multi-Shelf Trucks-All Shelf Edges Down or 3 Edges Up, 1 Down

Model #	3 Edges Up, 1 Down	Overall Size (in.) W x L x H	Shelf Size (in.)	Number of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Price/Ea.
351	352	19 1/8 x 35 x 36 7/8	18 x 31	3	400	5	50	[CALL]
353	354	19 1/8 x 35 x 36 1/8	18 x 31	4	400	5	57	[CALL]
355	357	19 1/4 x 32 1/2 x 45 1/8	18 x 31	5	400	5	67	[CALL]
445	446	22 1/4 x 36 1/2 x 45 1/8	21 x 33	4	500	5	78	[CALL]
433	448	22 1/4 x 36 1/2 x 50 7/8	21 x 33	6	500	5	98	[CALL]
449	451	22 1/4 x 36 1/2 x 54 1/2	21 x 33	8	500	5	119	[CALL]
460	461	22 1/4 x 51 1/2 x 45 1/8	21 x 50	4	500	5	115	[CALL]
462	463	22 1/4 x 51 1/2 x 50 7/8	21 x 50	6	500	5	145	[CALL]
464	465	22 1/4 x 51 1/2 x 54 1/2	21 x 50	8	500	5	178	[CALL]

\* Models 351, 352,353 and 354 have extended handle with bumper.

• All other models have a recessed handle with wraparound strip bumper.

### Chart B - Heavy-Duty Multi-Shelf Trucks-All Shelf Edges Down or 3 Edges Up, 1 Down

Model #	Overall Size (in.) W x L x H	Shelf Size (in.)	Number of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Price/ea.	
745	746	21 1/2 x 38 x 49 1/8	21 x 33	4	650	5	99	[CALL]
545*	546*	21 1/2 x 38 x 49 1/8	21 x 33	4	650	5	99	[CALL]
733	748	21 1/2 x 38 x 54 1/2	21 x 33	6	650	5	129	[CALL]
533*	548*	21 1/2 x 38 x 54 1/2	21 x 33	6	650	5	129	[CALL]
760	761	21 1/2 x 54 1/2 x 49 1/4	21 x 49	4	650	5	133	[CALL]
560*	561*	21 1/2 x 54 1/2 x 49 1/4	21 x 49	4	650	5	133	[CALL]
762	763	21 1/2 x 54 1/2 x 54 1/8	21 x 49	6	650	5	178	[CALL]
562*	563*	21 1/2 x 54 1/2 x 54 1/8	21 x 49	6	650	5	178	[CALL]

\* Models are NSF listed. • All heavy-duty models include extended handle with bumper and front leg bumper.

• Also available in 1,000 lb. capacity units with wall-saver perimeter bumper. Contact

## Platform Receiving Trucks

No assembly required

### Two-Handled Platform Truck

Made entirely with stainless steel, this two-handled truck provides excellent service in any usage exposed to moisture. Excellent rollability and maneuverability. All swivel rubber casters. Platform is 10 1/4" above the floor.



Model No. 217

### Two-Handled Platform Truck

Model No.	Overall Size (in.) W x L x H	Platform Size (in.)	Capacity (lbs.)	Caster Size (in.)	Wgt (lbs.)	Price/Ea.
217	22 1/2 x 34 1/4 x 32 1/4	21 1/2 x 33 3/4	400	5	44	[CALL]

## Platform Receiving Truck

Equipped with chrome handles and stainless steel base, this unit is designed for heavy-duty usage and easy maneuverability. Four (4) deluxe 5" swivel casters and two (2) 8" fixed wheels standard-all casters rubber. For use in any busy environment and where heavy loading is the norm. Ships freight class 70. Four (4) corner bumpers standard.




Model No. 456

### Platform Receiving Truck

Model No.	Overall Size (in.) W x L x H	Platform Size (in.)	Capacity (lbs.)	Caster Size (in.)	Wgt (lbs.)	Price/Ea.
456	24 1/8 x 53 1/2 x 35 1/8	24 x 48	1,000	(4) 5 & (2) 8	120	[CALL]

## Platform Truck

These trucks take the strain out of handling heavy stock, supplies and equipment. Designed with 1" OD stainless steel tubing, stainless platform and deluxe extra-load rubber casters. Ships freight class 70. Front corner bumpers standard.



Model No. 455

### Platform Trucks

Model No.	Overall Size (in.) W x L x H	Platform Size (in.)	Capacity (lbs.)	Caster Size (in.)	Wgt (lbs.)	Price/Ea.
454*	21 x 36 1/4 x 35 1/4	20 x 30	650	(2) 5 & (2) 8	48	[CALL]
455*	24 x 41 1/4 x 35 1/4	24 x 36	650	(2) 5 & (2) 8	63	[CALL]

\* Can Ship U.P.S.

## Heavy-Duty Utility Truck

This heavy-duty platform truck will find many uses in industry, institutions, and schools. The 1/8" thick aluminum base holds up to 1,200 lbs. 1 1/4" diameter handle fits snugly at either end. Optional second handle and solid panels are also available. Two (2) swivel and two (2) rigid polyurethane casters. Ships freight class 70.



Model No. 7525 w/1085



Model No. 7525 w/1086



Model No. 7525

### Heavy Duty Utility Truck

Model No.	Overall Size (in.) W x L x H	Platform Size (in.)	Capacity (lbs.)	Caster Size (in.)	Wgt (lbs.)	Price/Ea.
7525	25 1/8 x 50 1/4 x 39 1/4	25 x 50	1,200	8	81	[CALL]

Accessories:

Catalog No. 1085-Second Handle [CALL] Catalog No. 1086-Two (2) Side Panels & One (1) End Panel [CALL]

## Tubular Model-KD

These lightweight, easy to assemble carts, are shipped KD for ease of handling. Versatile and highly maneuverable, they are excellent for an application where replacement of shelves may be required. All rubber swivel casters. Ship unassembled via U.P.S.



Model No. 479

### KD\* Tubular Utility Carts-3 Shelf

Model No.	Overall Size (in.) W x L x H	Shelf Size (in.)	Number of Shelves	Capacity (lbs.)	Caster Size (in.)	Wgt. (lbs.)	Prices/ea.
479	17 1/2 x 27 x 35	15 1/2 x 24	3	400	4	43	[CALL]
489	20 x 27 x 35	18 x 27	3	400	4	50	[CALL]
499	23 x 36 x 37	21 x 33	3	400	5	65	[CALL]

\* Ships unassembled via U.P.S.

# Cart – Sort and Deliver Mail / File Handling / Parcel Delivery

Choose From 5 Styles... One Will Be Perfect For Your Needs.

## Mail Carts – m, n, o

File capacity 80 - 120 legal folders. 2 removable baskets. Adjustable hanging file folder guide rails for use of legal or letter size folders. Non-marking casters.

Contents visible from all sides... no lost or hidden items.

Light weight... but rugged 7/8" tube construction.

Chrome plated... for long lasting durability.



Model No.	Cart Size (W x L)	Top Size (W x L x H)	Baskets Bottom (W x L x H)	Casters - Front	Casters - Back	Ship Wt. (lbs.)	Price Ea.
LS-2	19 x 27	17 x 25 x 11	17 x 25 x 7	4" swivel	4" rigid	41	[CALL]
LS-3	23 x 30	17 x 25 x 11	17 x 25 x 7	5" swivel	10" semi-pneumatic	52	[CALL]
LS-4	23 x 41	17 x 36 x 11	17 x 36 x 7	5" swivel	10" semi-pneumatic	60	[CALL]



## Square Tube Type Mail Carts – p & q

File capacity - 120 legal folders. 2 removable baskets or 1 top basket and 1 lower wire shelf. Guide rails to hold legal size folders. Non-marking casters. 1" 16 gauge square tube construction. Zinc Protaxy bright finish.

(4) 5" swivel casters.

Add an optional center shelf. Call [CALL].

Model Number	Cart Size (W x L)	Top Basket Size (W x L x H)	Bottom Basket Size (W x L x H)	Wt. (lbs.)	Price Each
LS-5	18 x 39	16 x 33 x 6	Shelf	49	[CALL]
LS-6	18 x 39	16 x 33 x 6	16 x 33 x 6	51	[CALL]



## New Aluminum Designs • Reduce Push/Pull Effort • Improve Cleanliness & Appearance

### Aluminum Platform Trucks with Diamond Plate Decks

Lightweight durable platform truck with removable push handle. Choose from five types of casters and four capacities. Shown Below.

6" Plastic Casters - 2,000 lb. cap.

Cat. No.	Depth (in.)	Width (in.)	Wt. (lbs.)	Price/ea.
APTDP-2436-6P	24	36	60	[CALL]
APTDP-2448-6P	24	48	68	[CALL]
APTDP-3060-6P	30	60	82	[CALL]
APTDP-3672-6P	36	72	99	[CALL]

6" Molded-on Rubber Casters - 2,000 lb. cap.

APTDP-2436-6MR	24	36	60	[CALL]
APTDP-2448-6MR	24	48	68	[CALL]
APTDP-3060-6MR	30	60	82	[CALL]
APTDP-3672-6MR	36	72	99	[CALL]

8 x 2 Plastic Casters - 3,000 lb. cap.

APTDP-2436-8P	24	36	64	[CALL]
APTDP-2448-8P	24	48	72	[CALL]
APTDP-3060-8P	30	60	86	[CALL]
APTDP-3672-8P	36	72	103	[CALL]

8" Mold-on Rubber Casters - 2,400 lb. cap.

APTDP-2436-8MR	24	36	64	[CALL]
APTDP-2448-8MR	24	48	72	[CALL]
APTDP-3060-8MR	30	60	86	[CALL]
APTDP-3672-8MR	36	72	107	[CALL]

8" Full Pneumatic Casters - 1,800 lb. cap.

APTDP-2436-8FP	24	36	72	[CALL]
APTDP-2448-8FP	24	48	80	[CALL]
APTDP-3060-8MR	30	60	94	[CALL]
APTDP-3672-8FP	36	72	111	[CALL]

### Aluminum Rolling Carts



- 35" height
- Push handle
- Supplies with two 5" rigid and two 5" swivel plate casters
- Casters bolted on
- 500 lb. capacity
- All welded

Cat. No.	Depth (in.)	Width (in.)	Wt. (lbs.)	Price/ea.
ARC-18303	18	30	31	[CALL]
ARC-24363	24	36	36	[CALL]

### Aluminum Ladder Carts 500 lb. Capacity



Aluminum ladder is spring-loaded. Grips floor when stepped on. Aluminum non-skid steps.

Catalog No.	Depth (in.)	Width (in.)	Ladder Ht. (in.)	Weight (lbs.)	Price / each
ALC-1830-R	18	30	48	43	[CALL]
ALC-2436-R	24	36	48	50	[CALL]

# TT Rugged Welded Industrial Service Carts at Budget Prices

## Standard Sizes Shown — Modified Designs Quoted Promptly

### Service Carts (2 Shelves) (3 Shelves)

Model SB - Rugged general use carts for transporting UPS boxes, parts and more • Excellent for general order picking and factory use.



2 Shelf Design "SB" Series - 33" High, 1,000 lb. capacity

#### Product Features:

- Durable angle corner construction for long lasting use.
- 1 1/2" shelf lips up for retention (see options for flush top shelf).
- Push handle for ease of movement.
- Clearance between shelves - 24" (2 shelves) and 11 1/2" (3 shelves).
- Casters 5" Poly (2 swivel, 2 rigid).

#### Options:

- 2 wheel brakes - Code B - [Call]
- Top shelf lips down - Code F - N/C
- Top shelf one side (length) lip down - Code L - N/C

### Order Picking Carts (2 Shelves)

Model SO - Rugged general use carts with built in writing stand for record keeping • Use for order picking and stock keeping work



2 Shelf Design "SO" Series - 33" High, 1,000 lb. capacity

#### Product Features:

- Writing stand 12" by width of cart
- Durable angle corner construction for long lasting use.
- 1 1/2" shelf lips up for retention.
- Push handle for ease of movement.
- Clearance between shelves - 24".
- Casters 5" Poly (2 swivel, 2 rigid).

#### Options:

- 2 wheel brakes - Code B - [Call]

- See Pricing at Left -

Model SC - Durable general use carts



3 Shelf Design "SC" Series - 33" High, 1,000 lb. capacity

### SPECIFICATIONS / PRICES - 2 SHELVES

Cat. No.	WxL (in.)	Price /ea.	Cat. No.	Price /ea.
SB130	18 x 30	[Call]	SO130	[Call]
SB136	18 x 36	[Call]	SO136	[Call]
SB142	18 X 42	[Call]	SO142	[Call]
SB148	18 X 48	[Call]	SO148	[Call]
SB230	24 X 30	[Call]	SO230	[Call]
SB236	24 X 36	[Call]	SO236	[Call]
SB242	24 X 42	[Call]	SO242	[Call]
SB248	24 X 48	[Call]	SO248	[Call]
SB260	24 X 60	[Call]	SO260	[Call]
SB336	30 X 36	[Call]	SO336	[Call]
SB342	30 X 42	[Call]	SO342	[Call]
SB348	30 X 48	[Call]	SO348	[Call]
SB354	30 X 54	[Call]	SO354	[Call]
SB360	30 X 60	[Call]	SO360	[Call]

### - 3 SHELVES

Cat. No.	WxL (in.)	Price /ea.
SC130	18 x 30	[Call]
SC136	18 x 36	[Call]
SC142	18 x 42	[Call]
SC148	18 x 48	[Call]
SC230	24 x 30	[Call]
SC236	24 x 36	[Call]
SC242	24 x 42	[Call]
SC248	24 x 48	[Call]
SC260	24 x 60	[Call]
SC336	30 x 36	[Call]
SC342	30 x 42	[Call]
SC348	30 x 48	[Call]
SC354	30 x 54	[Call]
SC360	30 x 60	[Call]

### QUANTITY DISCOUNTS

1 - 2 Units - List

3 - 5 Units - 5%

6 - 11 Units - 10%

12 - 25 Units - 15%

### Shipping Standard:

These catalog units will ship 4 to 6 business days routinely, except over holiday periods.

# TT All Steel Order Picking Carts with 3, 4, or 5 Levels

## Standard Sizes Shown — Modified Designs Quoted Promptly

### 3 Shelves

Model CC - Versatile heavy duty carts for warehouse, stockroom, shipping, and more including optional desk (below)



Model "CC"

Capacity of cart using the following casters:  
 5" Poly ..... 1,000 lbs  
 8" Mold-on ..... 1,800 lbs  
 6" Poly ..... 2,400 lbs  
 Applies to all items.

#### Product Features:

- Durable angle corner construction for long lasting use.
- 1 1/2" shelf lips up for retention.
- Push handle for ease of movement.
- Clearance between shelves - 17"
- Casters (2 swivel, 2 rigid) 5" Poly, 8" Mold-on, or 6" Poly
- Model "CO" includes 12" writing stand

#### Options:

- 2 wheel brakes - Code B - [CALL] for Poly [CALL] for Mold-on

### SPECIFICATIONS

Cat. No. 5" Poly	Cat. No. 8" Mold-on	Cat. No. 6" Poly	WxL (in.)	PRICE LIST		
				5" Poly	8" Mold-on	6" Poly
CC130P	CC130R	CC130S	18 x 30	-- CALL FOR PRICES		
CC136P	CC136R	CC136S	18 x 36			
CC148P	CC148R	CC148S	18 x 48			
CC160P	CC160R	CC160S	18 x 60			
CC230P	CC230R	CC230S	24 x 30	-- CALL FOR PRICES		
CC236P	CC236R	CC236S	24 x 36			
CC248P	CC248R	CC248S	24 x 48			
CC260P	CC260R	CC260S	24 x 60			
CC336P	CC336R	CC336S	30 x 36	-- CALL FOR PRICES		
CC348P	CC348R	CC348S	30 x 48			
CC360P	CC360R	CC360S	30 x 60			

NOTE: For Model "CO" w/Desk  
 On Any Unit ADD:

- [CALL] on 18" wide units
- [CALL] on 24" wide units
- [CALL] on 30" wide units

### 4 Shelves - 5 Shelves



Model "CD" - 4 Shelves  
 13" between shelves

Option:  
 2 wheel brakes - Code B  
 5" & 6" Poly - [CALL]  
 8" Mold-on - [CALL]

### SPECIFICATIONS - 4 Shelves

Cat. No. 5" Poly	Cat. No. 8" Mold-on	Cat. No. 6" Poly	WxL (in.)	PRICE LIST		
				5" Poly	8" Mold-on	6" Poly
CD130P	CD130R	CD130S	18 x 30	-- CALL FOR PRICES		
CD136P	CD136R	CD136S	18 x 36			
CD148P	CD148R	CD148S	18 x 48			
CD160P	CD160R	CD160S	18 x 60			
CD230P	CD230R	CD230S	24 x 30	-- CALL FOR PRICES		
CD236P	CD236R	CD236S	24 x 36			
CD248P	CD248R	CD248S	24 x 48			
CD260P	CD260R	CD260S	24 x 60			
CD336P	CD336R	CD336S	30 x 36	-- CALL FOR PRICES		
CD348P	CD348R	CD348S	30 x 48			
CD360P	CD360R	CD360S	30 x 60			
CD372P	CD372R	CD372S	30 x 72			

### SPECIFICATIONS - 5 Shelves

Cat. No. 5" Poly	Cat. No. 8" Mold-on	Cat. No. 6" Poly	WxL (in.)	PRICE LIST		
				5" Poly	8" Mold-on	6" Poly
CE130P	CE130R	CE130S	18 x 30	-- CALL FOR PRICES		
CE136P	CE136R	CE136S	18 x 36			
CE148P	CE148R	CE148S	18 x 48			
CE160P	CE160R	CE160S	18 x 60			
CE230P	CE230R	CE230S	24 x 30	-- CALL FOR PRICES		
CE236P	CE236R	CE236S	24 x 36			
CE248P	CE248R	CE248S	24 x 48			
CE260P	CE260R	CE260S	24 x 60			
CE336P	CE336R	CE336S	30 x 36	-- CALL FOR PRICES		
CE348P	CE348R	CE348S	30 x 48			
CE360P	CE360R	CE360S	30 x 60			
CE372P	CE372R	CE372S	30 x 72			

Model "CE" - 5 Shelves  
 13" between shelves

# TT Heavy Duty Steel Box Trucks and Mobile Tables

**Standard Choices (Below) Ship 5 Business Days or Sooner Except Holidays**  
**Modified Designs Available • We will gladly quote to your specifications.**

## Heavy Duty Steel Box Trucks (3 Sided) (4 Sided)

**Model BC** - Low deck truck for frequent loading and unloading of packages  
 Suitable for loose / bulky items or general service



Model "BC" - 40" Tall - 3 Sides - 1,000 lb. Capacity

### Product Features:

- Deck height - 20".
- Under storage second shelf with lips up.
- 1 1/2" shelf lip up for retention (see options for flush top shelf)
- Heavy duty sheet metal 20" high on 3 sides.
- Durable angle corner construction for long lasting use.
- Push handle for ease of movement.
- Clearance between shelves - 12"
- Casters 5" Poly (2 swivel, 2 rigid)

### Options:

- 2 wheel brakes - Code B - [+\[CALL\]](#)
- Top shelf lip down (flush) - Code F - N/C - BC Only
- Flip-up hinged lockable lid - [-\[CALL\]](#)

## SPECIFICATIONS

Cat No.	WxL (in.)	Price /ea.	Cat No.	Price /ea.
BC136	18 x 36	<a href="#">[CALL]</a>	BD136	<a href="#">[CALL]</a>
BC148	18 x 48	<a href="#">[CALL]</a>	BD148	<a href="#">[CALL]</a>
BC236	24 x 36	<a href="#">[CALL]</a>	BD236	<a href="#">[CALL]</a>
BC248	24 x 48	<a href="#">[CALL]</a>	BD248	<a href="#">[CALL]</a>
BC260	24 x 60	<a href="#">[CALL]</a>	BD260	<a href="#">[CALL]</a>
BC336	30 x 36	<a href="#">[CALL]</a>	BD336	<a href="#">[CALL]</a>
BC348	30 x 48	<a href="#">[CALL]</a>	BD348	<a href="#">[CALL]</a>
BC360	30 x 60	<a href="#">[CALL]</a>	BD360	<a href="#">[CALL]</a>

For Open Mesh Sides and Ends: Use Prefix **GD** in place of BC and Deduct 10% from above prices.



Model "BD" - 40" Tall - 4 Sides - 1,000 lb. Capacity

## Steel Mobile Tables (2 Shelves)

**Model LB** - Heavy duty transporter between work areas  
 Handles work-in-process at assembly areas



Capacity of Cart using the following casters:

- 5" Poly . . . . . 1,000 lbs.
- 8" Mold-on . . . . . 1,800 lbs.
- 6" Poly . . . . . 2,400 lbs.

- Options: 2 Wheel Brakes - Code B
- 5" & 6" Poly - [\[CALL\]](#) • 8" Mold-on - [\[CALL\]](#)
- Push handle - Code H - [\[CALL\]](#)

### Product Features:

- Shelf lips down for ease of loading and unloading.
- 4 sided access for flexibility.
- Durable angle corner construction for long lasting use.
- Clearance between shelves - 20"
- Casters (2 swivel, 2 rigid) 5" Poly, 8" Mold-on, or 6" Poly

### Options:

- 2 wheel brakes - Code B - [+\[CALL\]](#)
- Push handle - Code H

Cat. No.	Cat. No.	Cat. No.	WxL (in.)	PRICE LIST
5" Poly	8" Mold-on	6" Poly		5" Poly 8" Mold-on 6" Poly
LB136P	LB136R	LB136S	18 x 36	--CALL FOR PRICES
LB148P	LB148R	LB148S	18 x 48	--CALL FOR PRICES
LB236P	LB236R	LB236S	24 x 36	--CALL FOR PRICES
LB248P	LB248R	LB248S	24 x 48	--CALL FOR PRICES
LB260P	LB260R	LB260S	24 x 60	--CALL FOR PRICES
LB348P	LB348R	LB348S	30 x 48	--CALL FOR PRICES
LB360P	LB360R	LB360S	30 x 60	--CALL FOR PRICES

## Mobile Workbenches

**Model MW** - Ideal portable workbench for maximum flexibility of work area (repairs, maintenance or assembly)



Overall height - 34".

### Product Features:

- Top Shelf - (12 gauge) 1 1/2" retaining wall on 3 sides, front side lip down for easy access.
- Lower half shelf forms 4" stringer for rigidity and 15" shelf.
- Heavy duty tubular corner construction for long lasting use.
- Clearance between shelves - 22"

- Casters - 5" Poly (2 swivel, 2 rigid).

### Options:

- 2 wheel brakes - Code B - [+\[CALL\]](#)
- Locking drawer (mounted under left side of top shelf) measures:

Cat. No.	W x L (in.)	Price
MW360	30 x 60	<a href="#">[CALL]</a>
MW372	30 x 72	<a href="#">[CALL]</a>

## High Tech Tubular Frame Instrument Work Center Carts

**Model TW** - Vibration reducer cart provides safe, mobile instrument work station with high tech tubular appearance - 1,000 lb. capacity



### Product Features:

- Top and bottom shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- Wrap-around bumper (top shelf) protects walls and doorways.
- Lockable drawer with 2 sets of keys (model TW) - Drawer Size:  
 36" Cart - 5"H x 16"W x 20"D  
 48" Cart - 5"H x 20"W x 20"D
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft. cord with cord storage (model TW).
- Bottom shelf 24" x 26" (TW236) and 24" x 38" (TW248)

- Clearance under drawer - 14" (model TW).
- All welded construction (except casters and top MDF wood shelf)
- Tubular construction, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - 8" full pneumatic casters.

### Options:

- 2 wheel brakes on swivel casters - Code BN - [\[CALL\]](#)
- Model TB available with drawer or power strip-

## SPECIFICATIONS & PRICES

WxL (in.)	8" Full Pneumatic Casters	Wt. (lbs.)	WxL (in.)	5" Polyurethane Casters	Wt. (lbs.)		
	Cat. No.	Price		Cat. No.	Price		
24x36	TW236-N8	<a href="#">[CALL]</a>	146	24x36	TW236-U5	<a href="#">[CALL]</a>	122
24x48	TW248-N8	<a href="#">[CALL]</a>	166	24x48	TW248-U5	<a href="#">[CALL]</a>	142

## Mesh Security Trucks (1 and 3 Levels)

**Model VA & Model VC** - Heavy duty lockable trucks to secure packages while maintaining visual contact - 1,200 lb. capacity



### Product Features:

- Expanded metal mesh (13 gauge) all 4 sides 4' high and top cover.
- One side 2 expanded mesh doors with lockable handle and two keys.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge cater mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Bottom shelf lip down (flush).

- Inside clearance - 46".
- Overall height - 57".
- Choice of base only (VA) or base plus 2 intermediate shelves, evenly spaced (VC)

### Options:

- 2 wheel brakes on swivel casters - Code B6 - [\[CALL\]](#)
- Floor lock - Code F6 - [\[CALL\]](#)
- Reinforced bottom shelf for 2,000 lb. capacity - Code RT - [\[CALL\]](#)
- Solid panels, lockable hasps, and other casters available - [\[CALL\]](#)

## 3 LEVELS SPECIFICATIONS & PRICES BASE ONLY

WxL (in.)	Rubber or Phenolic	Wt. (lbs.)	WxL (in.)	Rubber or Phenolic	Wt. (lbs.)		
	Cat. No.	Price		Cat. No.	Price		
24x48	VC248-P6	<a href="#">[CALL]</a>	338	24x48	VA248-P6	<a href="#">[CALL]</a>	254
24x60	VC260-P6	<a href="#">[CALL]</a>	390	24x60	VA260-P6	<a href="#">[CALL]</a>	286
30x48	VC348-P6	<a href="#">[CALL]</a>	384	30x48	VA348-P6	<a href="#">[CALL]</a>	280
30x60	VC360-P6	<a href="#">[CALL]</a>	446	30x60	VA360-P6	<a href="#">[CALL]</a>	318
36x48	VC448-P6	<a href="#">[CALL]</a>	428	36x48	VA448-P6	<a href="#">[CALL]</a>	308
36x60	VC460-P6	<a href="#">[CALL]</a>	498	36x60	VA460-P6	<a href="#">[CALL]</a>	350

CASTER OPTIONS: Add For: 8 x 2... [\[CALL\]](#) • Add For: 8" Full Pneumatic... [\[CALL\]](#)  
 • Add For: Poly... [\[CALL\]](#) • Minus For: 5 x 2... [\[CALL\]](#)