

# Ted Thorsen Introduces GRITWORKS!™

GRITWORKS!™ is a line of slip-resistant anti-fatigue mats designed for very demanding situations.

You've heard the statistics: 11.7% of all non-fatal, lost time injuries are slip and fall accidents occurring on the same level. Each incident of this type costs an average of \$28,000.00. That is a lot of money and too much down-time.


Now you can have both safety and comfort with our new GRITWORKS!™ mats. They are designed to combat slip and fall accidents in hazardous industrial areas and commercial kitchens.

All GRITWORKS!™ mats provide extra traction in wet, greasy and oily areas. Each has a coefficient of friction much higher than ADA or OSHA specifications: Dry COF of .75 to .80, Wet COF of .72.

## Modular GRITWORKS!™ No. 483 (Open Tiles)

Modular GRITWORKS!™ No. 483 easily prevents slip and fall problems in wet, greasy and oily areas.

Designed to provide comfort and reduce standing worker fatigue, modular GRITWORKS!™ is a manageable 3' x 3' workstation size. Yet our patented interlocking system requires no attachment devices or additional bevels so these mats can be used to create virtually any configuration.



Modular GRITWORKS!™ is easy to clean... simply hose off.

Grease-Proof Grit 1	Weight	Stock Size	Price
30903	12 lbs.	3' x 3'	[CALL]
Grease-Resistant Grit 1	Weight	Stock Size	Price
30906	12 lbs.	3' x 3'	[CALL]




## Diamond-Plate GRITWORKS!™ No. 484 (Closed Tiles)

For use as a single workstation mat, to cover an entire floor, or to create a long runner, these mats easily snap together to form virtually any configuration. Plus, our proprietary built-in interlocking system requires no connectors or additional bevels.

It also interlocks with Modular GRITWORKS!™ to form matting with and without drainage areas. Mats are 1/2" thick with rounded corners.

Grease-Proof Grit 1	Weight	Stock Size	Price
30918	12 lbs.	3' x 3'	[CALL]
Grease-Resistant Grit 1	Weight	Stock Size	Price
30921	12 lbs.	3' x 3'	[CALL]

## Industrial GRITWORKS!™ No. 487 (Open Mats)



Industrial GRITWORKS!™ No. 487 is designed for heavy duty industrial applications. This 7/8" thick rubber compound is very flexible and provides exceptional comfort while reducing standing worker fatigue. Industrial GRITWORKS!™ is available in a wide variety of workstation sizes. We can also make large custom sizes and unusual configurations. Industrial GRITWORKS!™ is easy to clean... just hose it off.

Black w/Orange Grit 1	Weight	Stock Size	Price	Black w/Yellow Grit 1	Price
31011	17 lbs.	28" x 40"	[CALL]	31014	[CALL]
31023	34 lbs.	40" x 52"	[CALL]	31026	[CALL]
31035	52 lbs.	40" x 64"	[CALL]	31038	[CALL]
31047	84 lbs.	40" x 124"	[CALL]	31050	[CALL]
Black w/Orange or Black Grit 1	Weight	Custom Size	Price	Black w/Yellow Grit 1	Price
31059 - 31220	N/A	Up to 12'W x up to 30'L	Quoted Upon Request	31062	Quoted Upon Request


# Important New Anti Fatigue Mats for Today's Sensitive Electronic and Electrical Equipment Areas

• Additional ESD Matting is also available... Call Ted Thorsen for pricing.


## Electrically Conductive Anti-Fatigue Matting No. 786

Protects workers from fatigue and electronic equipment from damage.

Uses: Areas Where Electro-Static Discharge Can Harm Facilities and Electronic Equipment.



Color: Black



Ground cord snap connection (shown at left).

**Prices**  
3' x 5' Standard Mat [CALL]  
Runners 3' wide up to 75' long - cut to size - [CALL]

- The surface drains static electricity off the worker before it is discharged onto sensitive equipment.
- Sponge base provides superb cushioning support to ease back and leg stress and fatigue.
- Overall thickness 1/2", beveled edges.
- Diamond-Plate and Smooth surfaces.
- Resistivity
  - Smooth Surface: Surface to Surface 4 x 10<sup>6</sup> ohm. Surface to Ground 4 x 10<sup>4</sup> ohm.
  - Diamond-Plate: Surface to surface 10<sup>6</sup> ohm Surface to ground 20<sup>6</sup> ohm.

### Accessories


- \*15' long Ground Cord w/Snap and 1 Clip, 1 Megaohm Resistor [CALL]
- 6' Long Coiled Wire Super Comfort Wrist Strap, 1 Megaohm Resistor [CALL]

## Electrically Conductive Interlock No. 787



Color: Black

A comfortable, economical, reliable, versatile, electrically conductive interlock.



Reliable and economical protection from static discharge.

- Electrically Conductive interlock has exceptional resistivity: Surface to surface - 10<sup>4</sup> ohm. Surface to ground - 10<sup>4</sup> ohm.
- Specially compounded 1/2" thick rubber is electrically conductive throughout.
- Engineered with buoyant air pockets underneath to create a very comfortable work surface. Greatly reduces fatigue and other aches and pains related to standing.
- Sections easily "lock" together to create runners of virtually any size. Also available in singles for individual workstations.
- Economically priced, yet has the qualities of much more expensive products.
- High-Tech deck plate surface is easy to clean and provides additional traction in heavily trafficked areas.
- Edges are beveled for safe, easy access.

Stock Size: 3'W x 2'L Ends, Singles, Centers Price: [CALL] for all styles.

## NEW! Static Dissipative Anti-Fatigue Matting No. 791

OUR BEST - STATIC DISSIPATIVE

Prevents fatigue while protecting components from damaging static electrical shocks.



- Use in any areas where static discharge can harm materials; packaging and storage of electronic components.
- Drains static electricity from workers before it disrupts sensitive equipment.
- Relieves employee fatigue.
- Sponge base reduces

- stress on the spine and lower back
- Vinyl surface has slip resistant texture.
- Excellent resistivity: Surface to ground 1 x 10<sup>7</sup> ohm. Surface to surface 1 x 10<sup>7</sup> ohm.
- For maximum effectiveness, ground every 10' to 15'. (Call TT for available ground cords.)
- Available in Gray.
- 1/2" overall thickness, edges beveled for safety.

### Custom Sizes

Price
3' wide up to 75' in length ..... [CALL]/lin ft.
4' wide up to 75' in length ..... [CALL]/lin. ft.
2' x 3' ..... [CALL]
3' x 5' ..... [CALL]











