

The MAXX-ERGO-LIFTER is a highly maneuverable light capacity lifter designed for multiple material handling applications. It is equipped with a standard platform and has a load capacity of 330 lbs.

Ideal for assembly operations, ergonomic applications and other material handling needs. The MAXX-ERGO-LIFTER features a lift/lower button on a flexible control cord that allows the operator to be in the most comfortable position while lifting or lowering loads. The electric lift is battery operated and features an on board charger that runs on 110 volt input.

Also available are several optional attachments that customize the unit for specific applications including roll and coil handling attachments and a tote lifter attachment that are bolted on permitting the unit to be changed back to the standard platform when required.

### Specifications:

- Model LP-MXE-150
- Capacity: 330 lbs. at 9" load center
- Maximum Platform Height: 59"
- Lowered Height: 5"
- Straddle I.D.: 18.75"
- Staddle O.D.: 23.25"
- Platform Size: 18.5" x 23.5"
- Overall Size: 35" x 23.5" x 70"
- Steer Wheels: 5" swivel with brake
- Load Wheels: 3" swivel
- Lift/Lower button on flexible control cord
- Battery Included: 24 volt maintenance-free
- Charger Included: Automatic; On-Board
- Lift Speed: Approximately 26 seconds

### LP-MXE-150 Price:

**\$1,942.66**

(F.O.B. Wisconsin)

• Weight: 150 lbs. • Shipping Class: 70



## OPTIONAL ATTACHMENTS:



Attachment LP-A-1 is used for rolls or coils that require lifting from underneath. Ideal for placing rolls on and off a shaft.



Attachment LP-A-2 is a single ram suited for lifting coils or rolls through the core. The ram length is 24" long and 2" in diameter.



Attachment LP-A-3 is a dual ram arrangement. The ram length is 17.75" long and 2" in diameter. The distance between the ram is 6". It can be used to cradle rolls or can handle 2 small rolls at one time through the core.



Attachment LP-A-4 is a roll handled designed to handle rolls in the verticle and horizontal position (poker chip position). The unit features an expandable ram that holds the roll by expanding in the core by turning the wheel pictured. The ram is 11" long and is 2.9" in diameter.

### LP-MXE-150 Attachment Prices:

LP-A1 V-Platform... Add **\$100.39**

LP-A2 Single Ram... Add **\$100.39**

LP-A3 Dual Ram... Add **\$150.58**

LP-A4 Roll Handler Upender... Add **\$296.51**

**ALSO  
ONLINE:**



**All Terrain Pallet Jack  
MODEL VE-ALL-T-2  
\$594.41**



**Adjustable Fork-Width  
Pallet Truck  
MODEL WE-272744  
\$505.79**



**Side Winder Pallet Truck  
MODEL VE-SW-PJ  
\$445.45**



**Tote-A-Load Lifter  
MODEL VE-TAL-220-DC  
\$2,358.79**



**Hydraulic Fork Stackers  
Search: WE-ESFL  
Starting at: \$1,418.98**

## EAGLE 55 PALLET TRUCK

- Quality German design hydraulic pump **3 Year Warranty on Pump**
- 10 strokes to maximum lift
- Reinforced handle, 3-position fingertip control
- Heavy Duty channel steel frame
- Reinforced forks w/ tapered ends
- 200° Pivot action steering
- 48" Fork Length
- Lowered Fork Height: 2.9"
- 5,500 lbs. capacity
- 7" Polyurethane wheels
- Choice of Fork Width: 20.5" or 27"
- Raised Fork Height: 7.8"

**JA-EAGLE55-20.5...** 20.5" Fork Width... Wt. 180 lbs. **\$227.37**  
**JA-EAGLE55-27...** 27" Fork Width... Wt. 180 lbs. **\$227.37**



FOB PA

## STAINLESS STEEL PALLET TRUCK

**For Sanitary and  
Food-Handling  
Applications**



FOB PA

- All parts made of stainless steel
- For use in food industry and areas where corrosive solutions are used
- 1 year pump warranty
- 6 1/4" wide forks
- 7" nylon steering wheels
- 27"W x 48"L
- 4,400 lbs. capacity
- Lowered fork height: 3.35"
- 3" nylon load wheels
- Weight: 172 lbs.
- Raised fork height: 8"

**WE-272152 Price: \$2,432.07**

## POWERED LIFT STACKERS - COUNTERWEIGHT

- 1,000 lb. capacity
- 13" and 15" load centers
- Lifting heights: 62" & 74"
- Lifting speed: 5" per second
- Forks adjust from 6 1/2" to 20" O.D. between wheels
- 15 1/2" high fork backs
- Heavy-Duty C100 foot-operated floor lock
- Built-in 10 amp tapering battery charger
- Heavy-Duty 12 volt deep cycle battery
- 1" thick x 3" wide adjustable solid steel forks
- Hinged door with capacity display
- LED dash mount -- diagnostic display
- No outriggers
- Manual push, powered lift
- 3 position "Comfort Cushion" push handle
- Custom micro processor charger
- Quick connect battery cables (no tools required)

### COUNTERWEIGHT STACKERS - SPECIFICATIONS AND PRICING

Model Number	Load Capacity (lbs.)	Raised Height (inches)	Lowered Height (inches)	Dimensions H x W x L (inches)	Wheel Dia. Front / Rear (inches)	Ship Wt.* (lbs.)	Price* Each
<b>CW SERIES - ADJUSTABLE 25" FORKS - 13" LOAD CENTER</b>							
PR-C62A-200	200	62	1	80x27x36	5 / 5	750	\$2,784.38
PR-C62A-400	400	62	1	80x27x36	5 / 5	900	\$2,865.38
PR-C62A-600	600	62	1	80x27x36	5 / 5	1,000	\$2,916.00
PR-C62A-800	800	62	1	80x27x36	5 / 5	1,100	\$2,976.75
PR-C62A-1000	1,000	62	1	80x27x36	5 / 5	1,200	\$3,027.38
PR-C74A-200	200	74	1	92x27x36	5 / 5	775	\$3,007.13
PR-C74A-400	400	74	1	92x27x36	5 / 5	925	\$3,098.25
PR-C74A-600	600	74	1	92x27x36	5 / 5	1,025	\$3,148.88
PR-C74A-800	800	74	1	92x27x36	5 / 5	1,125	\$3,204.56
PR-C74A-1000	1,000	74	1	92x27x36	5 / 5	1,225	\$3,260.25
<b>CW SERIES - ADJUSTABLE 30" FORKS - 15" LOAD CENTER</b>							
PR-C62A-15	1,000	62	1	80x27x41	5 / 5	1,210	\$3,488.06
PR-C74A-15	1,000	74	1	92x27x41	5 / 5	1,235	\$3,604.50

\*Counterweight Ballast is included in pricing and shipping weights.

## PALLET TRUCKS WITH BUILT-IN LCD DISPLAY SCALE

### Features:

- Weighing accuracy  $\pm .22$  lbs., or 3.5 oz.
- LCD display scale
- Metler-Toledo Hawk scale/sensor
- UL approved scale operates on six "D" cell batteries or AC
- Charge rechargeable type "D" size batteries without removing from display
- Charging time, from 0 to full charge, 40 minutes
- Three position hand control
- 205° turning radius
- 7" wide forks
- 7" mold-on polyurethane steering wheels
- 3" mold-on polyurethane wheels
- Raised Fork Height: 8"
- Lowered Fork Height: 2.9"
- **2 Year Pump Warranty**

Lowered Fork Height:  
2.9"

### SCALE TRUCKS - PRICING & SPECIFICATIONS

Part #	WE-272936	WE-272938
Fork width x length:	27.5" x 47.5"	22" x 47.5"
Weight:	307 lbs.	300 lbs.
Capacity:	5,000 lbs.	5,000 lbs.
<b>Lowered Fork Height:</b>	<b>2.9"</b>	<b>2.9"</b>
<b>Raised Fork Height:</b>	<b>8"</b>	<b>8"</b>
<b>PRICE:</b>	<b>\$1,561.12</b>	<b>\$1,561.12</b>

### NEW & IMPROVED

Charge rechargeable type "D" size batteries without removing from display.



Raised  
Fork  
Height: 8"



# BENCH TOP TILTERS

Ergonomic Bench Top Tilters reduce worker fatigue & maximize comfort & safety.

- Loads up to 1000 lbs. may be tilted 0° to 45°.
- Heavy-duty steel tilters can be attached to most industrial table tops, workbenches and mobile lift tables of sufficient load capacity and surface size.
- Pendant hand control with UP/DOWN push buttons is located on a convenient 8 foot cord.
- Flat base plate with slotted holes for installation.
- Tilting top: powder coated silver. Base: painted royal blue

- **Manually Adjustable Tilter** is used for applications requiring only occasional changes in tilt angle.
- **Electro-Mechanical Internal Operating Mechanism** (linear actuated) will lift a maximum of 500 lbs. up to a 45° angle from 5" lowered ht.
- **External Operating Mechanism** (linear actuated) will lift a max. of 1000 lbs. up to a 45° angle from 5" lowered ht.



Bench top tilters have a sliding top which tilts within its own base frame. The center of the platform is kept closer to the center of the base, providing for higher stability than the conventional hinge style tilter.

Model Number	Operation	Plat. Size	Capacity	Max. Tilt	Ship Wt.	Price
VE-BTT-6-36	Manual	28"W x 36"D x 2"H	600 lbs.	15°, 30°, 45°	60 lbs.	\$128.27
VE-BTT-6-46	Manual	28"W x 46"D x 2"H	600 lbs.	15°, 30°, 45°	72 lbs.	\$139.43
VE-BTT-5-36	Linear Actuated	28"W x 36"D x 5"H	500 lbs.	0° to 45°	84 lbs.	\$863.51
VE-BTT-10-36	Linear Actuated	28"W x 36"D x 3"H	1000 lbs.	0° to 45°	96 lbs.	\$922.99
VE-BTT-5-46	Linear Actuated	28"W x 46"D x 5"H	500 lbs.	0° to 45°	96 lbs.	\$873.73
VE-BTT-10-46	Linear Actuated	28"W x 46"D x 3"H	1000 lbs.	0° to 45°	108 lbs.	\$933.22

**ALSO ONLINE:**



**Adjustable Box Stacker**  
MODEL VE-ABS-130  
\$536.32



**Portable Hand Winch Lifter**  
MODEL VE-HWL-330  
\$463.46



**Fully Powered Electric Pallet Trucks**  
Search: VE-EPT  
Starting at: \$2,785.78

## GROUND SCISSOR LIFT TABLES

Designed for use when powered fork trucks are not available.



- Pallets can be loaded onto table with pallet trucks and raised to an ergonomic working height
- Front side electric toe guard to protect pinch points during lowering of table
- Velocity fuse to maintain platform height regardless of hydraulic pressure
- Foot control • Maintenance prop
- Upper travel limit switch to stop table at max. height, reducing motor wear
- 2 HP, 208-230/460V, 3-phase, remote 60 Hz totally enclosed motor
- Motor is remote and can be located up to 8 feet away from table
- 3000 psi hydraulic components rating

Pallet Truck Accessible



Model Number	Capacity	Platform Size	O.A. LxWxH (Lowered)	Lift Range	Weight	Price
VE-EHLTG-4450-2-36	2,000 lbs.	44"W x 50"L	56" x 67" x 8 1/2"	1/2" to 36"	1,620 lbs.	\$4,157.01
VE-EHLTG-4450-4-36	4,000 lbs.	44"W x 50"L	56" x 67" x 8 1/2"	1/2" to 36"	1,690 lbs.	\$4,957.10
VE-EHLTG-4470-2-48	2,000 lbs.	44"W x 70"L	78" x 67" x 10"	1/2" to 48"	1,995 lbs.	\$4,246.03
VE-EHLTG-4470-4-48	4,000 lbs.	44"W x 70"L	78" x 67" x 10"	1/2" to 48"	2,310 lbs.	\$5,130.84
VE-EHLTG-5250-2-36	2,000 lbs.	52"W x 50"L	56" x 75" x 8 1/2"	1/2" to 36"	1,690 lbs.	\$4,474.47
VE-EHLTG-5250-4-36	4,000 lbs.	52"W x 50"L	56" x 75" x 8 1/2"	1/2" to 36"	1,890 lbs.	\$5,504.07
VE-EHLTG-5270-2-48	2,000 lbs.	52"W x 70"L	78" x 75" x 10"	1/2" to 48"	2,205 lbs.	\$4,576.36
VE-EHLTG-5270-4-48	4,000 lbs.	52"W x 70"L	78" x 75" x 10"	1/2" to 48"	2,520 lbs.	\$5,605.96

## SCISSOR LIFT TABLES

### Electric Hydraulic Scissor Lift Tables

Full featured electric hydraulic scissor lift tables are used by all types of manufacturing and warehouse facilities. Safety features include: electric toe guard to protect pinch points during lowering of the table, brass velocity fuse to maintain platform height regardless of hydraulic pressure, 24V AC push-button hand control, maintenance prop, and upper travel limit switch to stop table at maximum height reducing motor wear. 2HP, 460V, 3 phase, 60 Hz totally enclosed motor standard, other voltages available. 3000 psi hydraulic component rating.



### ELECTRIC HYDRAULIC SCISSOR LIFT TABLES -- SPECIFICATIONS & PRICING

Model #	Platform Size (WxL)	Lowered Ht.	Raised Ht.	Capacity (lbs.)	Voltage Phase	Net Wt. (lbs.)	PRICE
VE-EHLT-2448-3-43	24" x 48"	7"	43"	3,000	460/3	700	\$2,606.18
VE-EHLT-4048-3-43	40" x 48"	7"	43"	3,000	460/3	800	\$2,606.18

### ACCESSORIES FOR ELECTRIC HYDRAULIC SCISSOR LIFT TABLES -- SPECIFICATIONS & PRICING

VE-EHLT-SEMI-PO	Semi-Portability Option (Includes two rigid wheels with a two wheel dolly jack)	CALL
VE-EHLT-FULL-PO	Full Portability Option for 3,000 lb. capacity units up to 90" long (includes two rigid & two swivel casters) with a non-removable push handle, reinforced frame and foot operated floor lock	CALL
VE-ACC-4-3-24-48-43-CI	NFPA-701 Fire Retardant Accordion Skirting - Customer-Installed, includes hardware (24 x 48)	CALL
VE-ACC-4-3-24-48-43-FI	NFPA-701 Fire Retardant Accordion Skirting - Factory Installed (24 x 48)	CALL
VE-ACC-4-3-40-48-43-CI	NFPA-701 Fire Retardant Accordion Skirting - Customer-Installed, includes hardware (40 x 48)	CALL
VE-ACC-4-3-40-48-43-FI	NFPA-701 Fire Retardant Accordion Skirting - Factory Installed (40 x 48)	CALL
Powered Carousel (CA-Series)	Powered carousel electric hydraulic driven, fixed-speed, hand control, min. deck size 54" x 54", Max. capacity 4,000 lbs. Add 3 1/2" to lowered height	CALL



**Low Profile Lite Load Lifts**  
MODEL VE-LLPW-500-FW  
\$617.62



**Stacker w/Powered Lift**  
MODEL VE-SL-118-AA  
\$2,785.78