


TILE-TOP ANTIMICROBIAL No. 420AM

• 1/2" Thickness • 100% Anti-Microbial Anti-Fatigue Matting




Compound: Anti-Microbial Rubber Surface with a Anti-Microbial Sponge Base & Safety Beveled Edges

The Tile-Top AM anti-fatigue mat's permanently anti-microbial surface is able to destroy micro-organisms on contact and can result in a significant reduction of air-borne contaminants. This non-porous vinyl surface is also constructed with an extra wear layer for exceptional abrasion and chemical resistance.



The mat's exceptional comfort comes from its Micro-Pure™ sponge base. This unique Nitrile rubber composite is specifically designed for exceptional resilience and long life, and also offers permanent anti-microbial properties.



* = Available colors: Black, Blue, Brown, Charcoal, Gray, Sandalwood, Tan and White.



Stock Sizes

Item #	Color	Size	Price
TM-420.12x18x30AM	*	18"x30"	\$28.47
TM-420.12x2x3AM	*	2'x3'	\$43.38
TM-420.12x3x5AM	*	3'x5'	\$104.99

Non-Stock Rolls

TM-420.12x3x60AM	*	3'x60'	\$1261.14
TM-420.12x4x60AM	*	4'x60'	\$1681.52

Custom cut sizes up to 60' in length are available, call T.T. for pricing.

DELUXE TUF SPONGE No. 442


• 5/8" Thickness • For Use in All Dry Work Areas




Compound: blown vinyl sponge
Edges: rounded
Thickness: 5/8"

Available Colors: Black or Gray
The Deluxe Tuf Sponge mat's thicker and softer formulation will really make your employees say "WOW!" Designed to prevent fatigue without emptying your wallet, Deluxe Tuf Sponge is exceptionally comfortable.

Shown in Gray



Black also available



Blown Vinyl Sponge




Stock Sizes

Item #	Color	Size	Black Weight	Gray Weight	Price
TM-442.58x2x3	black or gray	2'x3'	7.1 lbs.	6.1 lbs.	\$20.27
TM-442.58x3x5	black or gray	3'x5'	17.1 lbs.	16.1 lbs.	\$51.04
TM-442.58x2x60	black or gray	2'x60'	126 lbs.	135 lbs.	\$372.76
TM-442.58x3x60	black or gray	3'x60'	183 lbs.	201 lbs.	\$559.79
TM-442.58x4x60	black or gray	4'x60'	251 lbs.	273 lbs.	\$739.69

Custom cut sizes up to 60' in length are available, call T.T. for pricing.

DIAMOND-PLATE SPONGE-COTE® No. 415



• 9/16" Thickness • For Use in All Dry Work Areas



Vinyl Surface w/ a Nitricell® Sponge Base and Safety Beveled Edges

The most popular mat in the industry because no other offers such a complete package of exceptional comfort, long life, and a high-tech industrial image. Its exceptionally resilient Nitricell® sponge base defines the mat by providing true comfort, enhancing productivity and reviving morale of all while relieving fatigue throughout the day. Diamond-Plate's safety-engineered surface adds traction and durability, and lends itself to areas of heavy traffic.

* = Available Colors: Solid Black, Solid Gray
** = Bordered: Black / Yellow or Black / Black & Yellow Chevron



Solid Mats - Stock Sizes

Item #	Color	Size	Black Weight	BLACK Price	Gray Weight	GRAY Price
TM-415.916x2x3	*	2'x3'	7.1 lbs.	\$32.98	7.1 lbs.	\$35.72
TM-415.916x3x5	*	3'x5'	16.1 lbs.	\$80.20	17.1 lbs.	\$89.10

Solid Mats - Non-Stock Rolls

Item #	Color	Size	Black Weight	BLACK Price	Gray Weight	GRAY Price
TM-415.916x2x75	*	2'x75'	166 lbs.	\$837.94	166 lbs.	\$909.18
TM-415.916x3x75	*	3'x75'	222 lbs.	\$1135.77	244 lbs.	\$1232.60
TM-415.916x4x75	*	4'x75'	284 lbs.	\$1515.10	340 lbs.	\$1643.02
TM-415.916x5x75	*	5'x75'	413 lbs.	\$2686.57	—	\$2763.49


Bordered Mats - Stock Sizes**

Item #	Color	Size	Yellow Weight	YELLOW BORDER Price	Chevron Weight	CHEVRON BORDER Price
TM-415.916x2x3	**	2'x3'	7.1 lbs.	\$37.58	7.1 lbs.	\$41.37
TM-415.916x3x5	**	3'x5'	16.1 lbs.	\$86.50	18.1 lbs.	\$103.53

** (Bordered Mats are Black Mat w/ Choice of Border) • Custom Cut Sizes Available.

BUBBLE FLEX™ MAT

• Air-pocket (bubble) design provides exceptional comfort



Recommended Uses:

- Industrial work areas
- Registers and check out counters
- Service counters
- Shipping & packaging areas

Features:

- Sturdy rubber design withstands compression and extends the life of the mat.
- Beveled edges increase safety by reducing tripping and slipping.
- Grease & oil resistant.
- 100% Black molded rubber.
- General-purpose compound type.
- Standard Color: Black




Standard Sizes	Sq. Ft. per Unit	Model Number	Weight / Unit	Price Each
2' x 3'	6	AP-390970900-2x3	11 lbs.	\$14.62
3' x 4'	12	AP-390970900-3x4	22 lbs.	\$38.85

Standard color: BLACK

T.T. AUTOCLAVABLE MAT No. 580


- For Sterile Environments • Anti-Microbial • Autoclavable



The Autoclavable Mat provides comfort in **sterile environments** including operating rooms, pharmacies where medicines are mixed, laboratories, radiology rooms and HazMat areas. The SBR/Nitrile compound is resilient, and **totally anti-microbial**. Tested to **withstand extensive sterilization in an autoclave**, the mat's solid, non-porous surface can also be wiped clean. The "domed" surface design provides an ideal level of comfort, while the individual size **fits flat into standard autoclaves** for efficient, effective cleaning.

Uses: any application where equipment & flooring must be sterilized
Compound: SBR/Nitrile, with an anti-microbial additive [passes ASTM G21-96 (2002)]
Durometer: 50 to 55 per ASTM D2240
Autoclave: No deformations after 52 autoclave cycles – 120° C @ 15 psi for 20 minutes using a Tinius Olsen – Model H5KS
Coefficient of Friction: .78 Dry • .68 Wet per ASTM F1677
Taber Abrasion: <1% lost @ 1,000 cycles per Fed. Std. 191
Flammability: "A" rating per MVSS 302
Thickness: 1/2"
Warranty: 1 year, conditional
Color: Light Gray (GY)

Model Number: TM-580.12x2x3GY 2' x 3' Mat... \$69.36



T.T. ACOUSTICAL/NOISE REDUCTION MAT

- Reduce Sound (dB) Waves for a Safer Work Environment

5 dB BETTER* Sound Reduction than Competitor's Diamond Plate Anti-Fatigue Matting (*31 STC Overall)



Noyz® Mat Anti-Fatigue composite mat provides unparalleled **NOISE REDUCTION** to help achieve **MORE dB (Decibel) LOSS** in a working environment.

- Durable wear-resistant top surface with Lancia emboss fusion-bonded to a 3/8" ergonomic closed-cell PVC foam.
- Top surface matting composite consists of a wear-resistant surface fusion-bonded to a 1.25# per sq. ft. non lead-loaded acoustical/NVH barrier for sound reducing qualities. Total top surface matting is 1.5# per sq. ft. overall.
- Ergonomic closed-cell PVC foam not only provides comfort but also acts as a decoupler layer against a sound source (the floor).

Standard Sizes	Sq. Ft. per Unit	Model Number	Weight / Unit	Price Each
2' x 3'	6	AP-390990900-2x3	13 lbs.	\$27.46
3' x 5'	15	AP-390990900-3x5	33 lbs.	\$68.64
3' x 10'	30	AP-390990900-3x10	66 lbs.	\$137.28
3' x 30'	90	AP-390990900-3x30	198 lbs.	\$411.84
4' x 30'	120	AP-390990900-4x30	264 lbs.	\$549.12

Special cuts 3' and 4' widths up to 30' in length.... call for pricing.
 Custom configurations also available... call for more information.

T.T. SMOOTH NON-CONDUCTIVE No. 711

- Smooth Military Switchboard Non-Conductive Mat




Smooth Vinyl Surface
Dielectric Strength of 30,000 Volts
Thickness: 1/8"

The Smooth Military Switchboard mat was designed to meet strict military standards. Smooth Military Switchboard is non-conductive matting with a dielectric strength of 30,000 volts. The smooth vinyl surface is easy to clean and offers exceptional ozone and oil resistance. Meets Mil. Spec. 15562-F Amend. 3, Type II.

Color: Black

1 YEAR CONDITIONAL WARRANTY



Non-Stock Sizes

Item #	Size	Weight	Price
TM-711.18x3x3CutBK	3'x3'	11.07 lbs.	\$32.29
TM-711.18x3x4CutBK	3'x4'	14.76 lbs.	\$43.06
TM-711.18x3x5CutBK	3'x5'	18.45 lbs.	\$53.82

Stock-Size Rolls

TM-711.18x3x75BK	3'x75'	262 lbs.	\$692.39
------------------	--------	----------	----------

Custom lengths and unique configurations are available, call T.T. for pricing.

T.T. ELECTRICALLY CONDUCTIVE RUNNER No. 785

- For Use In Areas At Risk For Damage from Static Electricity





Available In Smooth Rubber (3/32" Thick) or Diamond-Plate Vinyl (5/32" Thick)

The Electrically Conductive Runner quickly carries off static electricity, preventing damage to vulnerable equipment. Use in aisles and heavy use areas where static prevention is a priority. Available in two, easy to maintain surface designs - Diamond-Plate for a high-tech look and Smooth for easy maintenance and cart traffic.

Color: Black

Diamond-Plate Vinyl Surface



Smooth Rubber

Non-Stock Cuts with 1 grounding snap (attached to lower left hand corner of each mat)

Smooth Rubber		Diamond-Plate Vinyl		Size	Weight	Price
3/32" Thick	Item #	5/32" Thick	Item #			
	TM-785.332x3x2CutSMBK		TM-785.332x3x2CutDPBK	3'x2'	5.4 lbs.	\$45.16
	TM-785.332x3x3CutSMBK		TM-785.332x3x3CutDPBK	3'x3'	8.1 lbs.	\$67.74
	TM-785.332x3x4CutSMBK		TM-785.332x3x4CutDPBK	3'x4'	10.8 lbs.	\$90.32
	TM-785.332x3x5CutSMBK		TM-785.332x3x5CutDPBK	3'x5'	13.5 lbs.	\$112.91

Stock-Size Rolls

TM-785.332x3x75SMBK	TM-785.332x3x75DPBK	3'x75'	200 lbs.	\$1426.11
---------------------	---------------------	--------	----------	-----------

Custom lengths and unique configurations are available, call T.T. for pricing.

TT ABSORBA MAT™

• For high traffic indoor entrance areas



Choice of 7 Colors

Holds 1½ Gallons of water per square yard! Classic scraping pattern molded to a rubber backing to provide outstanding wiping and scraping performance, and allow soil and water to be trapped beneath shoe level.

- Extra tough molded construction prevents pile from crushing, extending mat life.
- Raised rubber border traps dirt and water within the mat.
- Skid-resistant gripper backing minimizes movement.
- 100% polypropylene needlepunch carpet resists fading and staining.

Standard Sizes	Actual Size	Sq. Ft. per Unit	Model Number	Weight / Unit	Price Each
2' x 3'	24" x 34"	6	AP-76035-**-2x3	5 lbs.	\$17.59
3' x 4'	34" x 45.5"	12	AP-76035-**-3x4	10 lbs.	\$35.18
3' x 5'	34" x 57"	15	AP-76035-**-3x5	12 lbs.	\$43.97
3' x 10'	34" x 117.5"	30	AP-76035-**-3x10	24 lbs.	\$87.95
4' x 6'	44.5" x 66.5"	24	AP-76035-**-4x6	20 lbs.	\$70.36
4' x 10'	44.5" x 117.5"	40	AP-76035-**-4x10	32 lbs.	\$117.26
6' x 10'	71" x 117.5"	60	AP-76035-**-6x10	50 lbs.	\$175.89

**Insert Color Codes into appropriate model number: Pepper (1902), Walnut (1403), Solid Gray (1702), Hunter Green (1210), Blue (1500), Red/Black (2190), and Burgundy (1102)

Other sizes, up to 6' x 20' available by special order. Call for pricing.
Tolerances: +/- 3% on standard sizes.



TT TIRETUFF™ CLEANSCAPE MAT


• For outdoor entrance areas • Recycled rubber base



Choice of 5 Colors

CleanScape Mat provides top-of-the-line scraping performance with an extra tough grit surface.

- The most aggressive cleaning mat on the market!
- Innovative grit surface effectively cleans shoes while hiding dirt in recessed channels.
- CleanScape repels water and dries quickly.
- Raised border holds water and debris in the mat and off the floor.
- Extra-heavy recycled rubber base keeps mat in place.
- Patented grit surface provides ultimate anti-slip characteristics in all weather conditions.
- Surface grit is UV stabilized.
- Easy to clean - shake or hose off.
- Standard color: black



Extra Tough Grit Surface

Standard Sizes	Actual Size	Sq. Ft. per Unit	Model Number	Weight / Unit	Price Each
2' x 3'	23.75" x 36"	6	AP-78972-**-2x3	9 lbs.	\$13.30
3' x 5'	35.25" x 58.75"	15	AP-78972-**-3x5	23 lbs.	\$33.25
4' x 6'	46.75" x 71"	24	AP-78972-**-4x6	36 lbs.	\$53.20

**Insert Color Codes into appropriate model number: Olive (1216), Graphite (1703), Midnight Blue (1520), Brick (1104), and Chestnut (1420)
Tolerances: +/- 3% on standard sizes.

SHOP ONLINE FOR MORE MATTING FROM TED THORSEN LLC

Go to www.tedthorsen.com & click on **Matting** to see the many industrial anti-fatigue and commercial mats we have to offer. Shown below are just some of the mats you'll find. We have the matting you need to match your specific application.




Rejuvenator® Ultra Soft-Cell No. 501

- 5/8" Thickness
- For Use in All Dry Work Areas



Slip Resistant Diamond-Plate No. 418

- 9/16" Thickness
- For Use in All Dry Work Areas



Diamond-Plate w/ GritWorks!® No. 416

- 9/16" or 15/16" Thickness
- For Primarily Dry Work Areas



Supreme SlipTech™ Mat

- For automotive, industrial, shipping & machine areas




ErgoOasis™ No. 488

- 1/2" Thickness
- For Use in Dry Areas
- 3 Attractive Wood-Look Finishes




Safety-Step™ No. 680 & 685

- 9/16" Thickness
- For Use in Wet Environments



Ortho-Stand™ No. 454

- 1/2" Thickness
- For Use in All Dry Work Areas



Tuf Sponge No. 451

- 3/8" & 1/4" Thickness
- For Use in All Dry Work Areas